

**TRIPLE K  
IRRIGATION**



**Manure  
& Irrigation  
Handling  
Equipment**

**6th Volume**

**(517) 458-9741**

**[www.IrrigationSupplyParts.com](http://www.IrrigationSupplyParts.com)**

**Please visit our website for more information:**

Secure | https://www.irrigationsupplyparts.com

Call Us Today! 517-458-9741 | info@irrigationsupplyparts.com

About Us | My Account | CART ▾

**IRRIGATION SUPPLY PARTS.COM**

PRODUCT CATEGORIES | FEATURED PRODUCTS | NEWS & EVENTS | CONTACT |

**Changing Downtime Into Grow Time**

with any & every irrigation part you'll ever need.

Search...

IRRIGATION SUPPLY CATEGORIES

- Aluminum Tubing Fittings
- Camlock Couplings & Fittings
- Clamps
- Drip Irrigation
- Fabrication Fittings
- Filters
- Garden Drip Irrigation Kits
- Gaskets
- Gauges
- Hose Connections
- Hoses - Suction & Discharge
- Lever Loc Fittings
- Malleable Iron Fittings
- Manure Management Equipment
- Primers
- PVC Fittings
- Sprinklers
- Suction & Discharge Parts
- Repair Couplers
- Valves
- Clearance / Closeouts

Sort by Default Order ▾ | Show 28 Products ▾ |

ORDERS BY 3PM – SHIP SAME DAY

<b>Aluminum Tubing Fittings (17)</b>	<b>Camlock Couplings &amp; Fittings (44)</b>	<b>Clamps (14)</b>	<b>Drip Irrigation (72)</b>
<b>Fabrication Fittings (53)</b>	<b>Filters (1)</b>	<b>Garden Drip Irrigation Kits (5)</b>	<b>Gaskets (22)</b>
<b>Gauges (14)</b>	<b>Hose Connections (9)</b>	<b>Hoses - Suction &amp; Discharge (4)</b>	<b>Lever Loc Fittings (22)</b>
<b>Malleable Iron Fittings (13)</b>	<b>Manure Management Equipment (24)</b>	<b>Primers (30)</b>	<b>PVC Fittings (53)</b>

**This site is our online parts store.**

Secure | <https://www.facebook.com/IrrigationSupplyParts/>

Triple K Irrigation
Home
Profile Picture
Message
Share
Help

# TRIPLE K IRRIGATION

Irrigation / Manure Handling Products & Equipment  
To Order Call Or Visit Us Online  
**517-458-9741**  
**www.IrrigationSupplyParts.com**

Like
Follow
Share
...
Call Now

Write something...

Triple K Irrigation October 23 at 4:38pm ·

It's #MotivationalMonday. Triple K Irrigation knows you're hard working and depend on nature for your next successful days. Stick with us to provide quality products and savings directly to your family. Call 517-458-9741 or visit [www.irrigationsupplyparts.com](http://www.irrigationsupplyparts.com) for more information.

Agricultural Service in Morenci, Michigan  
5.0 ★★★★☆ · Open Now

About See All

12930 Ingall Hwy  
Morenci, Michigan 49256  
(517) 458-9741  
Typically replies within an hour  
Send Message  
<http://www.irrigationsupplyparts.com>  
Agricultural Service · Business Service · Agriculture Company  
Hours 8:00AM - 5:00PM  
Open Now

Visit our Facebook page for more information and special product promotions!

Being a farmer means shaking hands with nature

To Past, Present and Future Customers,

Welcome to the 6th volume of our product catalog as well as our 18th year as Triple K Irrigation! We are excited to offer many new products to assist you with your growing needs. Please check out our online store too at [www.IrrigationSupplyParts.com](http://www.IrrigationSupplyParts.com). We hope you find both the catalog and online store useful. As always, we will strive to ship orders the same day if received by 3:00 pm EST. If you should have any further questions, feel free to call us to help assist you.

Sincerely,  
  
Steve Kutzley

**Triple K Irrigation Inc**  
12930 Ingall Highway  
Morenci, MI 49256  
517-458-9741

**SALES TERMS**

MASTERCARD, VISA, AMERICAN EXPRESS, DISCOVER,  
C.O.D. or CHECK in advance.

Leasing available upon request. All returns for credit MUST include invoice and will have a 15% restocking charge. No return for special order items. Finance charges are calculated on all past due unpaid invoices at the rate of 1.5% per month (18% per year) or the maximum allowed by law.

## PRODUCT INDEX

<b><u>PRODUCT DESCRIPTION</u></b>	<b><u>PAGE</u></b>	<b><u>PRODUCT DESCRIPTION</u></b>	<b><u>PAGE</u></b>
ALUMINUM TUBING ACCESSORIES			
Band & Latch Fittings.....	25	GAUGES	
Band & Latch Parts.....	6	Murphy Gauges.....	34
Ringlock Fittings.....	25	Pressure Gauges.....	3, 34
Gaskets (Replacement).....	35	HARD HOSE IRRIGATION TRAVELERS.....	20
Aluminum Fabrication Fittings.....	26	HOSE END COUPLERS	
Aluminum Tubing.....	40	Band & Latch Couplers.....	27
BANJO FITTINGS.....	22, 23	Bauer Type "A" & "B" Style Couplers.....	15, 16
BAUER TYPE COUPLINGS ("A" & "B" Style)....	15, 16	Doda Style Coupler.....	16
CAMLOCKS		Ringlock Coupler.....	27
Aluminum Camlock Fittings.....	24	Shug Grip Coupler.....	4
Banjo Fittings.....	22, 23	HOSE REPAIR COUPLERS	
CLAMPS		Layflat Insert Coupler.....	29
Band-It Center Punch Clamps & Tool...17, 24		PE Tube Mender (For Polyethylene).....	28
Band & Latch Clamps.....	19	Shug Grip Repair Coupler & Mender.....	4, 29
Double Bolt Clamps.....	19	Steel Hose Mender.....	29
Ringlock Bolt On Clamps.....	27	Traveler Soft Hose Mender.....	29
Ringlock Clamps.....	19	HOSE & PE TUBE REPAIR INSTRUCTIONS.....	27
Single Bolt Clamps.....	19, 24	HOSES	
Spiral Bolt Clamps.....	19	Discharge Hose.....	15, 24
Victaulic Clamps.....	19	Drag Hose.....	17, 18
Worm Gear Clamps.....	19	Mainline Hose.....	17, 18
Shug Grip Coupler Clamps - 3 Piece.....	4, 19	Multi-Purpose Air/Water Hose.....	1, 17, 18
Shug Grip Coupler Clamps - Ringlock.....	4, 19	Oval Hose.....	49
DODA COUPLINGS.....	16	Suction Hose.....	17, 24
DRIP IRRIGATION		Traveler Hose.....	17
Drip Irrigation Fittings.....	47, 48	IRRI-GATOR DRIP IRRIGATION GARDEN KITS..	42
Drip Irrigation Tubing.....	45, 48, 49	MANURE EQUIPMENT	
FABRICATION PARTS		Air Hose.....	1, 18
Aluminum Fabrication Fittings.....	26	Bauer Type "A" & "B" Style Couplers.....	15, 16
Steel Fabrication Fittings.....	4, 5, 6	Brass MZ Slide Valves.....	11
Steel Schedule 10 & 40 Fittings.....	5	Clean Out Balls.....	2
Universal Catch.....	6	Drag Hoses.....	17, 18
FERTILIZER INJECTOR.....	43	Fabrication Fittings.....	5, 6
FILTERS.....	44, 45	Gauge Protectors.....	3
FLANGES		Hard Hose Irrigation Travelers.....	20
Aluminum Flanges.....	26	Hose Caddies.....	20
Cast Iron Companion Flanges.....	5	Hose Pinchers.....	3
MZ Valve Flanges.....	5, 11, 13, 14	Mainline Hoses.....	17, 18
PVC Flanges (VanStone Style).....	5	Pumps.....	20, 21
Steel Flanges.....	5, 11	Shug Grip Fittings.....	4
FLOW METERS.....	1, 23, 43	Strainers.....	3
FOOT VALVES & PARTS.....	30, 31	Tile Plugs / Pipe Sealing Plugs.....	2
GASKETS		12-Volt Power Primer.....	3, 7, 8
Aluminum Tubing Gaskets.....	35	PIPE FITTINGS	
Bauer Type Gaskets/O-Rings.....	15, 16	Aluminum Couplings.....	26
Camlock Replacement Gaskets (BUNA)....	24	Aluminum Nipples.....	26
Compression Gaskets (Triple Lip).....	37	Malleable Iron Fittings.....	36
Doda Gaskets.....	16	Steel Couplings.....	6
Flange Gaskets.....	5, 11	Steel Nipples.....	6
MZ Valve Gaskets.....	5, 11, 13, 14	Zinc Alloy Fittings.....	33
Shug Grip Coupler Gaskets.....	4	PRIMERS	
		12-Volt Power Primer.....	3, 7, 8
			(continued)

## PRODUCT INDEX

PRODUCT DESCRIPTION	PAGE	PRODUCT DESCRIPTION	PAGE
<b>PRIMERS</b>	(continued)	<b>SPRINKLERS</b>	(continued)
Berkeley Priming Valve.....	10	Whiz Heads.....	33
Gorman Rupp Priming Valve.....	10	Rainbird Part Circle & Full Circle.....	33
Protek Primers & Parts.....	9	Wade Rain.....	33
<b>PUMPS</b>		<b>SUCTION FITTINGS &amp; PARTS</b> .....	30, 31
Berkeley.....	21	<b>VALVES</b>	
Cadman Diesel.....	20	Ball Valves (Brass).....	12
Caprari.....	21	Ball Valves (PVC).....	12
Cornell.....	21	Banjo Valves .....	22
Doda.....	21	Wafer Valves (Cast Iron).....	11
Honda.....	21	Gate Valves (Brass).....	12
<b>PVC ACCESSORIES</b>		Gate Valves (Cast Iron).....	11
PVC Flanges.....	5	Inline Butterfly Valve.....	11
PVC Flexible Rubber Coupling.....	29	MZ Slide Valves (Brass).....	11
PVC Galvanized & Epoxy Fittings.....	37	Valve Opening Elbow & Tee.....	12
PVC Glue / Cleaner / Sealant.....	38	Wafer Valves (Cast Iron).....	11
PVC Insert Fittings.....	38	<b>VALVE ACCESSORIES</b>	
PVC Nipples.....	38	Air Cylinder for MZ Valve.....	11
PVC Repair Couplers.....	29	Butterfly Valve Extension & Disc.....	11
PVC Tubing.....	40	Hydraulic Cylinder for MZ Valve.....	11
Schedule 40 Fittings .....	38	Handle for Cast Iron Gate Valves.....	11
Schedule 80 Fittings.....	39	Handle for MZ Slide Valve.....	11
<b>RISERS - ALUMINUM (For Sprinklers)</b> .....	33	Riser Valve Stubs.....	12
<b>STEEL FLANGE FITTINGS</b> .....	27	Steel Flange & Gasket for MZ Valve.....	11
<b>SPRINKLERS</b>		<b>VALVE REPLACEMENT PARTS</b>	
Komet Big Volume Guns & Nozzles.....	32	VOE Parts.....	12
Nelson Big Guns & Nozzles.....	32	<b>WEBSTERMATIC QUICK COUPLERS</b> .....	33
		<b>ZINC ALLOY PIPE FITTINGS</b> .....	33

## NOTES



## 2" & 3" Mandals Mantex High Pressure Air Hose

**2"**

.55 lbs/ft

600 PSI Pressure Rating

2535 Burst Pressure Rating

Wall Thickness .17 in

Tensile Strength 31,700 lbs

**3"**

1.2 lbs/ft

375 PSI Pressure Rating

1500 Burst Pressure Rating

Wall Thickness .18 in

Tensile Strength 46,600 lbs

**25' and 5' Lengths with Dixon GJ Boss Female  
Coupling with Polymer Seat, Plated Iron – IN STOCK!**

\*\*\*\*\*  
See Pages 17 and 18 for Additional Hose Options.  
\*\*\*\*\*

## CHERNE PNEUMATIC PLUG

### (PIPE SEALING PLUGS)

The Muni-Ball Plug was introduced over 50 years ago and the Cherne brand continues to be the most trusted name in pneumatic plugs. Muni-Ball Plugs offer a full bypass allowing both testing and monitoring of piping systems. Muni-Balls are ideal for installation and repair of residential or commercial piping systems.

Muni-Ball plugs are durable, rugged and are effective on almost any type of pipe.

Muni-Ball Plugs are supplied with Schrader tire inflation valves.

#### Part#      Size / Description

128-310088	4" - 8"
128-310128	6" - 12"
128-310168	8" - 16"
128-310248	12" - 24"
128-310328	15" - 32"
128-383208	Poly Lift Line w/ Gauge - 20'



## CLEAN OUT BALLS - SOFT DENSITY

MADE IN THE USA

#### Part#      Size      Description

125-CBLSCO-175	175MM	BLUE
125-STM-0176-F-1	176 MM	ORANGE
125-CBLSCO-250	250MM	ORANGE
125-CBLSCO-270	270MM	ORANGE
125-CBLSCO-300	300MM	ORANGE
125-CBLSCO-355	355MM	ORANGE

## ECONOMY BRAND NOT CHINA BRANDED

#### Part#      Size

57-COBS40VP	120MM
57-COBSS7	220MM
57-COBS106	270MM
57-COBS120	305MM



## SIZE CHART

#### Hose Size      MM Size

4"	120MM
5-6"	175-176MM
6-8"	175-270MM
10"	305MM
12"	355MM

## CHERNE PNEUMATIC PLUG

The Cherne Test-Ball has been the contractor's choice for over 50 years and continues to be the most trusted pneumatic test ball in the industry. Designed for applications from pressure testing and blocking of residential DWV systems to repair maintenance and installation of municipal infrastructure.

All Test-Balls are bendable to 90 degrees.

Test-Balls 15-30" size and larger now include our Rupture Disc Technology. This feature prevents over-inflation of the pneumatic plug.

<u>Part #</u>	<u>Size</u>
128-270040	4"
128-270067	6"
128-041386	8"
128-041394	10"



## POLY-LIFT LINE WITH GAUGE

- Retard gauge: helps prevent "peg-out" damage
- Heavy-duty rubber gauge cover protects gauge face
- 3/8" ID hose for quick inflate/deflate
- Quick-dump valve for easy deflation
- Quick disconnect design for easy installation
- Designed for use with plugs with removable inflation valve and eye bolt



<u>Part#</u>	<u>Length</u>
128-261398	20'

## KROHNE FLOW METER

Krohne has been developing flow and level measurement products for over 75 years. The first choice for flow meters, Krohne electromagnetic flow meters are used in water and wastewater industries. From liquid to slurries, they can provide precision flow measurements. You can select from among the industry's largest assortment of liner / electrode choices to match your application.



### LIQUID-FILLED PSI GAUGE

GLYCERINE-FILLED FOR LONG LIFE



<u>Part#</u>	<u>PSI Range</u>
111-LPG30	0-30 PSI
111-LPG060	0-60 PSI
111-LPG100	0-100 PSI
111-LPG160	0-160 PSI
111-LPG200	0-200 PSI
111-LPG300	0-300 PSI

### GAUGE PROTECTOR KIT (FOR HEAVY SOLIDS)



<u>Part #</u>
20-M3GAU-PROTEC

### GAUGE PROTECTOR KIT (FOR GREY WATER)



<u>Part #</u>
121-BAAF

### MISCELLANEOUS GAUGES



<u>Part#</u>	<u>Description</u>
10-SEG-201L-254A	Liquid Fill Vacuum Gauge 30-0
10-VIG-015	2.5" Liquid Gauge 15 PSI
10-VIG-100	2.5" Liquid Gauge
143-IPG10045-4L	Pressure Gauge STL 100# 4.5D 1/4LM
143-IPG30045-4LNL	Pressure Gauge STL 300# 4.5 D 1/4LM LN

### MANURE STRAINER SCREEN GALVANIZED WITH 2" OPENING



<u>Part#</u>	<u>Size</u>
22-Strainer6OD	6"
22-Strainer858OD	8-5/8"

### HOSE PINCHER FOR 6"-8" HOSE



<u>Part #</u>
100-6"-8" Hose Pincher

### CLOG-BUSTER DRAIN FLUSHER



<u>Part #</u>	
38-303127	1"-2"
38-303135	1 1/2"-3"
38-303143	4"-6"
38-006193	Faucet Adapter

## 12 VOLT POWER PRIMER

FOR MORE PRIMER INFORMATION AS WELL AS A SCHEMATIC AND REPLACEMENT PARTS LIST PLEASE SEE PAGES 5 AND 6.



Part# 100-12VoltPrimerAssembly

<b>SHUG GRIP MENDER SET</b>	
<u>Part #</u>	<u>Size</u>
20-M3MCS4A	4"
20-M3MCS45A	4.5"
20-M3MCS5A	5"
20-M3MCS55A	5.5"
20-M3MCS6A	6"
20-M3MCS7A	7"
20-M3MCS725A	7.25"
20-M3MCS8A	8"
20-M3MCS10A	10"
20-M3MCS12HDA	12"

<b>SHUG GRIP MAIN / DRAG COUPLER SET</b>	
<u>Part #</u>	<u>Size</u>
20-M3CS4A	4"
20-M3CS45A	4.5"
20-M3CS5A	5"
20-M3CS55A	5.5"
20-M3CS6A	6"
20-M3CS7A	7"
20-M3CS8A	8"
20-M3CS8HDA	8"
20-M3CS8HDSA	8"
20-M3CS10A	10"
20-M3CS10HDSA	10"
20-M3CS12HDA	12"
20-M3CS12HDSA	12"

<b>SHUG GRIP COUPLER DOUBLE-BOLT 3-PIECE CLAMP</b>	
<u>Part #</u>	<u>Size</u>
20-M3SEG45-3A	4.5"
20-M3SEG5-3A	5"
20-M3SEG55-3A	5.5"
20-M3SEG6-3A	6"
20-M3SEG7-4A	7"
20-M3SEG8-4A	8"
20-M3SEG10-5A	10"

<b>SHUG GRIP ADAPTER (F x F)</b>	
<u>Part</u>	<u>Size</u>
20-M3AFF68A	6"x8"
20-M3AFF810A	8"x10"

<b>SHUG GRIP ADAPTER (M x M)</b>	
<u>Part #</u>	<u>Size</u>
20-M3AMM68A	6"x8"
20-M3AMM810A	8"x10"

<b>MALE RINGLOCK x MALE SHUG COUPLER ADAPTER</b>	
<u>Part #</u>	<u>Size</u>
58-HSGA6M	6"

<b>FEMALE RINGLOCK x MALE SHUG COUPLER ADAPTER</b>	
<u>Part #</u>	<u>Size</u>
58-HSGA6F	6"

<b>SHUG GRIP COUPLER HD RING CLAMP</b>	
<u>Part</u>	<u>Size</u>
20-M3CL6	6"
20-M3CL8	8"
20-M3CL10	10"
20-M3CL12	12"

<b>SHUG GRIP COUPLER SLEEVE</b>	
<u>Part #</u>	<u>Size</u>
20-M3SLV6A	6"
20-M3SLV8A	8"
20-M3SLV10A	10"
20-M3SLV12A	12"

<b>SHUG GRIP COUPLER GASKET</b>	
<u>Part</u>	<u>Size</u>
100-IPS5	6"
13-103835	8"
20-M3GSK10	10"

<b>SHUG GRIP COUPLER WELD-ON HOSE BARB</b>	
<u>Part #</u>	<u>Size</u>
100-SWOHB4	4"
100-SWOHB6	6"
100-SWOHB8	8"

<b>MALE WELD-ON SHUG GRIP COUPLER</b>	
<u>Part</u>	<u>Size</u>
100-HSGW2	6" Steel
100-HSGW28	8" Steel

<b>MALE WELD-ON FLARED SHUG GRIP COUPLER</b>	
<u>Part #</u>	<u>Size</u>
20-M3AWOFM55	4"- 6"
20-M3AWOFM8	7"- 8"
20-M3AWOM10	10"

<b>SHUG GRIP COUPLER WELD-ON STEEL RINGS</b>	
<u>Part</u>	<u>Size</u>
100-PHSG106	6"
100-PHSG108	8"

<b>SHUG GRIP COUPLER SINGLE-WIDE 3-PIECE CLAMP</b>	
<u>Part #</u>	<u>Size</u>
100-3P4	4"

<b>FEMALE WELD-ON SHUG COUPLER</b>	
<u>Part #</u>	<u>Size</u>
100-HSGW1	6" Steel
100-HSGW18	8" Steel
20-M3AWOF10	10" Steel

<b>SHUG GRIP COUPLER MISC PARTS</b>	
<u>Part #</u>	<u>Description</u>
88-0120712	Lynch Pin
88-10007-04712	Clevis Pin
88-65026	Cotter Pin
88-73543	Socket Screw

<b>HIGH FLOW REDUCERS</b>	
<u>Part #</u>	<u>Size</u>
20-M3AFFHF810A	8" Female x 10.25" Female
20-M3AFMHF810A	8" Female x 10.25" Male
20-M3AMMFH810A	8" Male x 10.25" Male

<b>HIGH FLOW CLAMPS</b>	
<u>Part #</u>	<u>Size</u>
20-M3CL10HF	10.25" HF Clamp Set
20-M3CL10HFSHDS	10.25" HD Steel Swivel Clamp

<b>HOSE SAVER CLAMP</b>	
<u>Part #</u>	<u>Size</u>
20-M3CL8SHDS	8" HD Steel
20-M3CL10SHDS	10" HD Steel

<b>WELD ON ADAPTER</b>	
<u>Part #</u>	<u>Size</u>
20-M3AWOFHF10	10.25" Female Weld Neck
20-M3AWOFHFM10	10.25" Male Flared

<b>HIGH FLOW COUPLERS</b>	
<u>Part #</u>	<u>Description</u>
20-M3CSHF10A	10.25" HF w/ Standard Clamp (Set Screws)
20-M3CSHF10HDSA	10.25" HF w/ SHDS Hose Saver Clamp (Bolt Style)
20-M3CSHF10SA	10.25" HF w/ SDHS Hose Saver Clamp (Set Screws)
20-M3CSHF12HDA	12.25" HF w/ Standard Clamp (Bolt Style)

<b>90° WELDING ELBOW</b> (Schedule 40)	<b>45° WELDING ELBOW</b> (Schedule 40)	<b>WELDING TEE</b> (Schedule 40)	<b>CONCENTRIC REDUCER</b> (Schedule 40)
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
77-MN90LR11	4"	77-MN4510	3"
77-MN90LR12	5"	77-MN4511	4"
77-MN90LR13	6"	77-MN4512	5"
77-MN90LR14	8"	77-MN4513	6"
77-MN90LR15	10"	77-MN4514	8"
		77-MN4515	10"
<b>INLINE WYE</b> (Schedule 40)	<b>ECCENTRIC REDUCER</b> (Schedule 40)	<b>90° WELDING ELBOW</b> (Schedule 10)	<b>45° WELDING ELBOW</b> (Schedule 10)
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
94-MNW13	6"	94-MNER1413	8" x 6"
94-MNW14	8"	94-MNER1514	10" x 8"
94-MNW15	10"		
<b>300PSI WELD ON FLANGE</b>	<b>300 PSI Flange Gasket</b>	<b>STEEL FLANGE FOR MZ VALVE</b>	<b>GASKET FOR MZ VALVE</b>
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
77-MN300LF13	6"	100-2005-0000	4"
		100-2006-0000	6"
		100-2006-0001	8"

WE HAVE THE ABILITY TO FABRICATE ANY CONFIGURATION YOU MAY NEED. PLEASE CALL US WITH DETAILS.

<b>CAST IRON COMPANION FLANGE - THREADED</b>	<b>STEEL WELDING FLANGE</b>	<b>RUBBER FLANGE GASKET</b>	<b>FLANGE x SOCKET</b> (Van Stone Style)
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
77-CICFB-08	2"	03-F083-02-02	2"
77-CICFB-09	2 1/2"	03-F083-02-025	2 1/2"
77-CICFB-10	3"	03-F083-02-03	3"
77-CICFB-11	4"	03-F083-02-04	4"
77-CICFB-12	5"	03-F083-02-05	5"
77-CICFB-13	6"	03-F083-02-06	6"
77-CICFB-14	8"	03-F083-02-08	8"
77-CICFB-15	10"	03-F083-02-10	10"
		03-F083-02-12	12"

#### SPECIFICATIONS FOR TUBING VS. PIPE TERMINOLOGY

Tubing Measurement is referred to as the I.D. (Inside Dimension)

Pipe Measurement is referred to as the O.D. (Outside Dimension)

Please Note: Wall thickness will also aid in determining the correct dimensions required for a project.

<b>FLANGE x THREAD</b> (Van Stone Style)	
<b>Part #</b>	<b>Size</b>
26-855-020	2"
26-855-030	3"
26-855-040	4"
26-855-060	6"
26-855-080	8"

**90° BLACK SWEEPING ELBOW (14 GAUGE)**


Part #	Size
03-P1097-12	3"
03-P1097-13	4"
03-P1097-15	6"

**45° BLACK SWEEPING ELBOW (14 GAUGE)**


Part #	Size
03-P1100-12	3"
03-P1100-13	4"
03-P1100-15	6"

**BLACK STEEL TEE (12 GAUGE)**


Part #	Size
22-BSTE4	4"
22-BSTE6	6"
22-BSTE8	8"

**END WYE - BLACK (10 GAUGE) - Galvanized Available**


Part #	Size
22-BSY06E	6" End Wye
22-BSY08E	8" End Wye

**INLINE WYE - BLACK (10 GAUGE) - Galvanized Available**


Part #	Size
22-BSY06I	6" Inline Wye
22-BSY08I	8" Inline Wye

**90° BLACK MITERED ELBOW (10 GAUGE)**


Part #	Size
100-BW900410G	4"
100-BW900610G	6"
100-BW900810G	8"

**45° BLACK MITERED ELBOW (10 GAUGE)**


Part #	Size
100-BW450410G	4"
100-BW450610G	6"
100-BW450810G	8"

**22.5° BLACK MITERED ELBOW (10 GAUGE)**


Part #	Size
100-BW220410G	4"
100-BW220610G	6"
100-BW220810G	8"

**BLACK STEEL HALF NIPPLE**


Part #	Size
03-P2127-10	1"
03-P2127-16	2"
03-P2127-11	2-1/2"
03-P2127-24	3"
03-P2127-29	4"
03-P2127-33	5"
03-P2127-35	6"
03-P2127-37	8"
03-P2127-38	10"

**BLACK WELDING CONE (10 GAUGE)**


Part #	Size
03-P0038-80	4" x 2"
03-P3684-01	4" x 3"
03-P3684-02	5" x 4"
03-P3684-03	6" x 4"
03-P3684-04	6" x 5"
03-PS-0015-14G	8" x 4"
03-P3684-05	8" x 6"
03-P3684-06	10" x 8"

**BLACK FLAT WELDING DISC**


Part #	Size
03-P1067-02	2"
03-P1067-05	3"
03-P1067-09	4"
03-P1067-11	5"
03-P1067-14	6"
03-P1067-21	8"
03-P1067-25	10"

**BLACK STEEL HALF COUPLING**


Part #	Size
03-P2062-06	1"
03-P2062-08	1-1/2"
03-P2062-09	2"
03-P2062-11	3"
03-P2062-12	4"
03-P2062-14	6"

**BLACK WELD-ON COUPLER (Galvanized Available)**


Part #	Size
03-P1007-41 (12 Gauge)	2"
03-P1007-42 (12 Gauge)	3"
03-P3875-41 (10 Gauge)	4"
03-P3875-42 (10 Gauge)	5"
03-P3875-43 (10 Gauge)	6"
03-P3875-44 (10 Gauge)	8"
03-P3875-45 (10 Gauge)	10"

**GALVANIZED WELD-ON B&L MALE END**


Part #	Size
03-P1050-01	2"
03-P1050-02	3"
03-P1050-03	4"
03-P1050-04	5"
03-P1050-05	6"

**BAND & LATCH PARTS**

Part #	Size
03-P1030-01	Universal Hook
03-P1012-01	Univ. Catch 2" - 4"
03-P1012-02	Univ. Catch 5" - 8"
03-P1028-01	"U" Clevis
03-P1032-01	E-Z Hook

**BLACK WELD-ON MALE END (10 GAUGE) (Galvanized Available)**


Part #	Size
03-P3896-22	4"
03-P3904-01	5"
03-P3904-02	6"
03-P3904-03	8"
03-P3904-04	10"

**BLACK ECCENTRIC CONE (12 GAUGE)**


Part #	Size
03-P1734-03	4" x 3"
03-P1734-06	5" x 4"
03-P1735-06	6" x 4"
03-P1736-03	8" x 4"
03-P1735-12	8" x 6"



12v Motor w/ Solenoid

Model 30 Primer Pump



Panel Mount Valve with 12v Switch



Oil Reservoir 3L with Cap, Mounting Bracket

- Easy Operation
- Easy Installation
- Huge Air Volume
- High Suction Lift

Part # 100-12VoltPrimerAssembly



wallenstein  
vacuum . pumps

## Model 30


Make hand priming a thing of the past.  
Quickly primes the largest centrifugal pump.  
Ideal for Irrigation, Industrial and Fire truck service.

### Specifications

**30 CFM @ 15"HG @ 3200 RPM**



RPM (x100)	AIRFLOW (SCFM)	AMP
36	28	124
34	24	131
32	20	138
30	16	145
28	12	152
	8	159
	4	166




**Dimensions**






















**Triple K Irrigation also offers a 110 Volt Power Primer Kit and Portable Power Primer Kit. Please contact us for more details regarding their pricing and availability.**









## HAND DIAPHRAGM PRIMER - PARTS



**BERKELEY AUTOMATIC DISCHARGE PRIMING VALVE**

Models				
Item #	Part Description	3 x 4 w/ Lever 24-B05923	4 x 4 w/ Lever 24-B05924	5 x 5 w/ Lever 24-B05925
1	Valve Body	24-L03671	24-L03665	24-H02203
2	Clack Rebuild Kit	24-S13414-KIT	24-S13404-KIT	24-S13403-KIT
3	Grommet		(Included in kits)	
4	Spacer, Grommet		(Included in kits)	
5	Clack Hinge,			
6	Shaft and Handle	24-B06142	24-B06143	24-B06144
8	Assembly			24-B06145
7	O-Ring		(Included in kits)	
9	Pin, Spring (2 Req.)		(Included in kits - 2 of them)	
10	Spring	24-S13679	24-S14026	24-S14026
11	Stud		(Included in kits)	
12	Washer, Flat		(Included in kits)	
13	Washer, External Tooth		(Included in kits)	
14	Nut, Hex		(Included in kits)	

**GORMAN-RUPP CHECK VALVE ASSEMBLY****GORMAN-RUPP AUTOMATIC LUBRICATING GREASE CUP****Seal Assembly**

The only routine maintenance required on the Gorman-Rupp grease seal is to fill the spring loaded grease cup when required. When the grease cup is empty, turn the cross arm to the bottom of the plunger rod. Remove the grease cup cap by turning it counterclockwise. Fill the grease cup by hand. DO NOT PRESSURIZE THE GREASE CUP. Doing so may lubricate stationary parts in the seal causing them to spin and the seal to fail prematurely. After filling the grease cup, replace the cap of the grease cup. Turn the cross arm to the top of the plunger rod. This causes the spring to apply pressure to the grease, forcing the grease into the seal assembly.

It is not uncommon for a new grease seal to drip when using traditional grease prior to the seal faces seating. Remember, this seal uses grease while in use. The grease in the cup may require filling daily when used continuously.

**Position  
When  
Empty**



**Position  
For  
Filling**



**Position  
When In  
Use**



**\*\*Replacement parts available for ALL styles of Berkeley, Gorman-Rupp, Caprari and Hale\*\***

<b>CAST IRON COMPANION FLANGE - THREADED</b>		<b>CAST IRON THREADED GATE VALVE with HAND WHEEL</b>		<b>CAST IRON FLANGED GATE VALVE with OP NUT</b>		<b>CAST IRON FLANGED GATE VALVE with HAND WHEEL</b>	
<b>Part #</b>	<b>Size</b>						
77-CICFB-08	2"						
77-CICFB-09	2-1/2"						
77-CICFB-10	3"						
77-CICFB-11	4"						
77-CICFB-12	5"						
77-CICFB-13	6"						
77-CICFB-14	8"						
<b>STEEL WELDING FLANGE</b>		<b>RUBBER FLANGE GASKET</b>		<b>HANDLE FOR CI GATE VALVE</b>		<b>NPT x NPT BRASS MZ SLIDE VALVE</b>	
<b>Part</b>	<b>Size</b>			<b>Part #</b>	<b>Size &amp; Description</b>	<b>Part #</b>	<b>Size</b>
03-F083-02-02	2"			77-EMKL36	36" T-Wrench for 2" Op Nut	72-450400825	4"
03-F083-02-025	2-1/2"			77-EMKL60	60" T-Wrench for 2" Op Nut	72-450400827	6"
03-F083-02-03	3"					72-450400828	8"
03-F083-02-04	4"						
03-F083-02-05	5"						
03-F083-02-06	6"						
03-F083-02-08	8"						
03-F083-02-10	10"						
03-F083-02-12	12"						
<b>CAST IRON WAFER STYLE BUTTERFLY</b>							
Ductile Disc/Buna Seat/SS Stem - Irrigation Application							
(Lug Style Available)							
				<b>AIR CYLINDER FOR MZ VALVE (Double Acting)</b>		<b>HYDRAULIC CYLINDER FOR MZ VALVE (Double Acting)</b>	
<b>Valve</b>	<b>Part#</b>		<b>Part#</b>			<b>Part #</b>	<b>Size</b>
<b>Size</b>	<b>Gear Operated</b>		<b>Lever Operated</b>				
2"	77-B6-RWG2		77-B6-RLO2			72-450401821	4"
3"	77-B6-RWG3		77-B6-RLO3			72-450401823	6"
4"	77-B6-RWG4		77-B6-RLO4			72-450401824	8"
6"	77-B6-RWG6		77-B6-RLO6				
8"	77-B6-RWG8		77-B6-RLO8				
NOTE: For chemical & manure fluent, a B5 Series valve may be required. The B5 Series is also required for underground applications. Please call if you have any questions regarding these valves.							
<b>BUTTERFLY VALVE EXTENSION (for B5 Series Valve Only)</b>							
<b>Part #</b>	<b>Size &amp; Description</b>						
77-B5-X48-C	48" Extension for 5"- 6" B5 BFV						
77-B5-X48-D	48" Extension for 8" B5 BFV						
<b>BUTTERFLY VALVE DISC</b>							
<b>Part #</b>	<b>Size</b>						
03-P1164-01	4"						
03-P1166-01	6"						
03-P1167-01	8"						
				<b>GASKET FOR MZ VALVE</b>			
<b>Part #</b>	<b>Size</b>			<b>Part #</b>	<b>Size</b>		
72-450200588	6"						
72-370200100	8"						



### THREADED BRASS GATE VALVE

**Features:**

200# (150 degrees F) non-shock. Solid disc, non-rising stem, solder ends.

Part #	Size
77-514T03	1/2"
77-514T04	3/4"
77-514T05	1"
77-514T08	2"
77-514T10	3"
77-514T11	4"



### THREADED BRASS BALL VALVE

**Features:**

Working pressure 600# PSI WOG. PTFE reinforced seats and seals. "K-Metal" non-corrosive stem. Full port, full flow capacity.

Part #	Size
77-759T03	1/2"
77-759T04	3/4"
77-759T05	1"
77-759T08	2"
77-759T10	3"
77-759T11	4"



### SLIP PVC BALL VALVE

**Features:**

Economical valve of durable, high quality PVC material for long life. No adjustment necessary.

Part #	Size
77-770S03N	1/2"
77-770S04N	3/4"
77-770S05N	1"
77-770S06N	1 1/4"
77-770S07N	1 1/2"
77-770S08N	2"



### THREADED PVC BALL VALVE

**Features:**

Economical valve of durable, high quality PVC material for long life. No adjustment necessary.


Part #	Size
77-770T03N	1/2"
77-770T04N	3/4"
77-770T05N	1"
77-770T06N	1 1/4"
77-770T07N	1 1/2"
77-770T08N	2"

### INDEPENDENT MAIN TO LATERAL VALVE

Allows supply to lateral lines from mainline by installing at location desired. Includes roundback gasket.



Part #	B&L	B&L	Ringlock
	Male End	Bell	Valve Stub
03-P1072-62	4"	4"	3"
03-P1073-61	4"	4"	4"
03-P1073-63	6"	6"	4"
Part #	Ringlock	Ringlock	Ringlock
Male End	Bell	Valve Stub	
03-P1767-63	6"	6"	4"



### VALVE OPENING ELBOW

Part #	Size
03-P1694-61	3" x 2"
03-P1694-62	3" x 3"
03-P1694-64	4" x 3"
03-P0009-04	4" x 4"
03-P0004-52	6" x 4"
03-P0034-88	6" x 6"



### VALVE OPENING TEE

Part #	Size
03-P1711-64	4" x 3" x 3"
03-P1711-65	4" x 4" x 4"
03-P1711-72	6" x 4" x 4"
03-P1711-74	6" x 6" x 6"



### RISER VALVE W/ FEMALE PIPE THREAD

Part #	Size
03-P1726-01	3"
03-P1726-02	4"
03-P1726-04	6"
03-P1726-05	8"



### WELD-ON RISER VALVE FELCO- ALUMINUM

Part #	Size
16-UVS404	4" x 4"
16-UVS406	4" x 6"
16-UVS408	4" x 8"



### VALVE STUB WITH MALE THREAD

Part #	Size
03-P1729-01	3"
03-P1729-02	4"
03-P1729-04	6"
03-P1729-05	8"




### WELD-ON VALVE STUB - RINGLOCK

Part #	Size
03-P1724-01	3"
03-P1724-02	4"
03-P1724-04	6"
03-P1724-05	8"




### INLINE BUTTERFLY VALVE - BAND & LATCH

Part #	Size
03-P1812-61	4"
03-P1814-61	6"
03-P1815-61	8"




### INLINE BUTTERFLY VALVE - RINGLOCK

Part #	Size
03-P1821-61	4"
03-P1823-61	6"
03-P1824-61	8"




### VALVE OPENER PARTS DIAGRAM

①	Handle
②	Shaft
③	Base
④	Shaft Nut
⑤	Shaft Lock
⑥	Shaft Nut
⑦	Base
⑧	Shaft
⑨	Shaft Lock
⑩	Base




### VALVE STUB DISC


Part #	Size
03-P1059-01	3"
13-100851	4"
03-P1061-01	5"
03-P1062-01	6"
03-P1063-01	8"




Part #	Valve Size
03-P2086-01	3" or 4"
03-P2086-02	5" or 6"
03-P2114-01	8"

**4-BOLT FLANGED MZ SLIDE VALVE PARTS**


Item	#	Part Description	Size	Part #
	2	Gasket	4"	450401696
	2	Gasket	6"	450401698
	2	Gasket	8"	450401699
	3	Gate	4"	450401708
	3	Gate	6"	450401710
	3	Gate	8"	450401711
	4	Locking Clamp	4" & 6"	450401719
	4	Locking Clamp	8"	450GG0M00
	5	Stem	4"	450401688
	5	Stem	6"	450401690
	5	Stem	8"	450401691
	6	Upper Housing	4"	450401704
	6	Upper Housing	6"	450401706
	6	Upper Housing	8"	450401707
	7	Screw TCEI M8x16	4" - 8"	450401683
	8	Packing Ring	4" & 6"	450401681
	8	Packing Ring	8"	450401682
	9	Nut M30x2	4" & 6"	450401727
	9	Nut M35x2	8"	450401680
	10	Fork/Yoke	4" - 8"	450401678
	11	O-Ring 225	4" & 6"	450401716
	11	O-Ring 240	8"	450401717

**CAST VALVE WITH STAINLESS STEEL KNIFE PARTS**

Item	#	Part Description	Size	Part #
	2	Seat Ring	6"	450080015
	2	Seat Ring	8"	450080016
	3	Blocking Ring	6"	450090007
	4	Estate Ring	6"	450090004
	6	Sleeve	6"	450150008
	6	Sleeve	8"	450150009
	6	Sleeve	10"	450150011
	6	Sleeve	12"	450150012
	7	O-Ring 206	4"	450401721
	7	O-Ring 225	6"	450401716
	7	O-Ring 241	8"	450401700
	7	O-Ring 249	10"	450401697
	7	O-Ring	12"	450401720
	8	Locking Nut	4" - 12"	450401907
	10	Stem	6"	450401893
	10	Stem	8"	450401892
	11	Braided Ring	6"	450401895
	11	Braided Ring	8"	450401896
	12	O-Ring Packing	6"	450401897
	12	O-Ring Packing	8"	450401898
	13	Packing Flange	6"	450401899
	13	Packing Flange	8"	450401900
	14	Stud	4" - 12"	450401894
	15	Washer	4" - 12"	450450083
	16	Nut	4" - 12"	450450084
	18	Indicator Clamp	6"	450401902
	18	Indicator Clamp	8"	450401903
	18	Indicator Clamp	10"	450401904
	18	Indicator Clamp	12"	450401905
	19	Knife	6"	450401908
	19	Knife	8"	450401901
	26	Screw	6" - 12"	450401906

**BRASS SIDE LEVER GATE VALVE PARTS****Item**

#	Part Description	Size	Part #
2	Screw M6x12	2", 2-1/2"	450401751
2	Screw M8x16	3", 4", 6"	450401749
3	Handle	3", 2-1/2"	449013402
3	Handle	3"	449013403
3	Handle	4"	449013405
3	Handle	6"	449014405
4	Nut 3/4"	2", 2-1/2"	450401756
4	Nut M30x2	3"	450401727
4	Nut F19	4" - 6"	450401679
5	Packing Ring	2", 2-1/2"	450401755
5	Packing Ring	3"	450401681
5	Packing Ring	4" - 6"	450401682
6	Pin	2"	450401757
6	Pin	3"	450401728
6	Pin	4"	450401729
6	Pin	6"	450401730
7A	Male Disk	2"	450401758
7B	Female Disk	2"	450401759
7A	Male Disk	3"	450401731
7B	Female Disk	3"	450401732
7A	Male Disk	4"	450401733
7B	Female Disk	4"	450401744
7A	Male Disk	6"	450401735
7B	Female Disk	6"	450401737
8	Inner Lever	2"	450401760
8	Inner Lever	3"	450401738
8	Inner Lever	4"	450401739
8	Inner Level	6"	450401741
9	Paper Gasket	2"	450401764
9	Paper Gasket	3"	450401740
9	Paper Gasket	4"	450401742
9	Paper Gasket	6"	450401744
10	Head	2"	450401765
10	Head	3"	450401745
10	Head	4"	450401747
10	Head	6"	450401748
11	Screw M6x12	2"	450401750
11	Screw M8x16	3", 4", 6"	450401683

**BRASS PISTON VALVE WITH SS KNIFE****Item**

#	Part Description	Size	Part #
1	Lower Housing	6"	GLMANUREWHL
2	White Seat Ring	6"	450080015
2	White Seat Ring	8"	450080016
3	4587 O-Ring	6"	450020125
5	Sleeve	6"	450080011
6	232 O-Ring	6"	45008015
6	244 O-Ring	8"	450401701
7	Knife	6"	450450080
7	Knife	8"	450450079
8	Clip	6"	450450087
8	Clip	8"	450450088
9	Screw	6"	450450089
9	Screw	8"	450450090
10	Gasket	6"	450450077
10	Gasket	8"	450450078
12	Head	6"	450450075
12	Head	8"	450450076
11	Screw M8x16	3", 4", 6"	450401683
17	Self-Locking Nut	4" & 6"	450450085
17	Self-Locking Nut	8"	450450086

<b>GALV MPT x BALL w/ LOCKING LEVER</b>	
	
Part	Size
112-020-BMT2	2"
112-020-BMT3	3"
112-020-BMT4	4"
112-020-BMT6	6"
112-020-BMT8	8"

<b>GALV MPT x SOCKET</b>	
	
Part #	Size
112-040-SMT2	2"
112-040-SMT3	3"
112-040-SMT4	4"
112-040-SMT6	6"
112-040-SMT8	8"

<b>GALV FPT x BALL w/ LOCKING LEVER</b>	
	
Part	Size
112-025-BFTA2	2"
112-025-BFTA3	3"
112-025-BFTA4	4"
112-025-BFTA6	6"
112-025-BFTA8	8"

<b>GALV FPT x SOCKET</b>	
	
Part #	Size
112-045-SFTA2	2"
112-045-SFTA3	3"
112-045-SFTA4	4"
112-045-SFTA6	6"
112-045-SFTA8	8"

<b>BAUER TYPE "B-STYLE" O-RING</b>	
	
Part	Size
109-436-20	2"
109-436-30	3"
109-436-40	4"
109-436-50	5"
109-436-60	6"
109-436-80	8"

<b>BLACK STEEL WELD-ON MALE BALL</b>	
	
Part #	Size
112-255-B2B	2"
112-255-B3B	3"
112-255-B4B	4"
112-255-B6B	6"
112-255-B8B	8"

<b>BLACK STEEL WELD-ON FEMALE SOCKET</b>	
	
Part	Size
112-257-S2B	2"
112-257-S3B	3"
112-257-S4B	4"
112-257-S6B	6"
112-257-S8B	8"

<b>LOCKING LEVER</b>	
	
Part #	Size
112-273-LR2	2"
112-273-LR3	3"
112-273-LR4	4"
112-273-LR6	6"
112-273-LR8	8"

<b>GALV MALE BALL x HOSE BARB</b>	
	
Part	Size
112-260-HTM2	2"
112-260-HTM3	3"
112-260-HTM4	4"
112-260-HTM6	6"
112-260-HTM8	8"

<b>GALV FEMALE SOCKET x HOSE BARB</b>	
	
Part #	Size
112-270-HTF2	2"
112-270-HTF3	3"
112-270-HTF4	4"
112-270-HTF6	6"
112-270-HTF8	8"

<b>ALUMINUM MALE WELD-ON BALL</b>	
	
Part	Size
112-732-BA2	2"
112-732-BA3	3"
112-732-BA4	4"
112-732-BA6	6"
112-732-BA8	8"

<b>ALUMINUM FEMALE WELD-ON SOCKET</b>	
	
Part #	Size
112-734-AA2	2"
112-734-AA3	3"
112-734-AA4	4"
112-734-AA6	6"
112-734-AA8	8"

<b>GALV 30° ELBOW</b>	
	
Part	Size
112-085-E2-30	2"
112-085-E3-30	3"
112-085-E4-30	4"
112-085-E6-30	6"
112-085-E8-30	8"

<b>GALV 45° ELBOW</b>	
	
Part #	Size
112-080-E2-45	2"
112-080-E3-45	3"
112-080-E4-45	4"
112-080-E6-45	6"
112-080-E8-45	8"

<b>GALV 60° ELBOW</b>	
	
Part	Size
112-075-E2-60	2"
112-075-E3-60	3"
112-075-E4-60	4"
112-075-E6-60	6"
112-075-E8-60	8"

<b>GALV 90° ELBOW</b>	
	
Part #	Size
112-070-E2-90	2"
112-070-E3-90	3"
112-070-E4-90	4"
112-070-E6-90	6"
112-070-E8-90	8"

Please note there are two styles of Bauer Type connections. Please specify your type:

Type A = Clamp fastened on coupling OR Type B = Clamp loose

Additional styles and sizes are available upon request.


<b>"A-STYLE"</b> GALV FEMALE SOCKET w/ LEVER x HOSE BARB	
<u>Part</u>	<u>Size</u>
72-450220760	8"
72-450220100	10"
72-450220101	12"

<b>"A-STYLE"</b> GALV MALE RING X HOSE BARB	
<u>Part</u>	<u>Size</u>
72-450220761	8"
72-450220111	10"
72-450220112	12"


<b>"A-STYLE"</b> BLACK WELD-ON MALE BALL	
<u>Part</u>	<u>Size</u>
72-450220556	8"
72-452101010	10"
72-452121212	12"

<b>"A-STYLE"</b> BLACK LOCKING RING	
<u>Part</u>	<u>Size</u>
72-450220555	8"
72-452111222	10"
72-452111333	12"

<b>"A-STYLE"</b> BLACK WELD-ON FEMALE w/ LEVER w/ O-RING	
<u>Part</u>	<u>Size</u>
72-450220561	8"
72-452000777	10"
72-452000888	12"



<b>"A-STYLE"</b> O-RING	
<u>Part</u>	<u>Size</u>
72-450220568	8"
72-452452250	10"
72-452452251	12"



<b>"F-STYLE"</b> WELD-ON FEMALE W/ LEVER W/ O-RING	
<u>Part</u>	<u>Size</u>
72-452205601	6"

<b>"F-STYLE"</b> GALV FEMALE SOCKET WITH LEVER x HOSE BARB	
<u>Part #</u>	<u>Size</u>
72-450220583	6"


<b>"F-STYLE"</b> HOSE BARB x MALE BALL	
<u>Part #</u>	<u>Size</u>
72-450220575	6" (150mm)

<b>BLACK MALE</b> LOCKING RING "F-STYLE"	
<u>Part</u>	<u>Size</u>
72-450220792	6"

<b>DODA 3-HOOK</b> COUPLER w/ O-RING	
<u>Part #</u>	<u>Size</u>
97-FER111	6" Black

<b>"F-STYLE"</b> WELD-ON MALE BALL	
<u>Part</u>	<u>Size</u>
72-452205551	6"

<b>DODA O-RING</b>	
<u>Part #</u>	<u>Size</u>
97-GTP138	6" (150mm)

<b>IRONSIDE</b> HIGH PRESSURE HEAVY DUTY DISCHARGE HOSE 	<b>VINYLFLOW</b> LOW PRESSURE DRIP & WATER DISCHARGE HOSE 	<b>TIGERFLEX</b> HEAVY DUTY PVC FABRIC REINFORCED WITH HIGH UV RESISTANCE 	<b>TIGERFLEX</b> CLEAR HEAVY DUTY SUCTION HOSE SYNTHETIC REINFORCEMENT (WORKING PRESSURE 45 PSI @ 68°) 	
<u>Part #</u> <u>Size</u> <u>PSI</u>	<u>Part #</u> <u>Size</u> <u>PSI</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	
45-IS150x300	1-1/2"	150	45-WST300x300	3"
45-IS200x300	2"	150	45-WST400x300	4"
45-IS300x300	3"	150	45-WST500x300	5"
45-IS400x300	4"	125	45-WST600x300	6"
45-IS600x300	6"	115	45-WST800x300	8"
45-IS800x300	8"	70		

<b>POLYAIR SERIES</b> MULTI-PURPOSE AIR & WATER HOSE 	<b>TIGERFLEX</b> YELLOW EPDM DISCHARGE & SUCTION HOSE (WORKING PRESSURE 65 PSI @ 68°) 	<b>TIGERFLEX</b> BLACK EPDM DISCHARGE & SUCTION HOSE (WORKING PRESSURE 100 PSI @ 68°) 	<b>150 PSI EPDM</b> MULTI-PURPOSE WATER DISCHARGE/SUCTION HOSE 	
<u>Part #</u> <u>Size</u> <u>PSI</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	
45-K1134-08	1/2"	300	45-T202AA200	2"
45-K1134-12	3/4"	250	45-T202AA300	3"
45-K1134-16	1"	250	45-T202AA400	4"
			45-T202AA600	6"
			45-T202AA800	8"

NOTE: We have the ability to cut short lengths of the mainline, discharge and suction hoses, if needed.

<b>ALL-AMERICAN / SNAP-TITE (SERIES 110) TRAVELER HOSE</b> <small>(URETHANE CONSTRUCTION)</small> 	<b>ANGUS PREMIUM TRAVELER HOSE</b> <small>(THIN RIB YELLOW)</small> 	<b>GATORFLOW</b> NITRILE / PVC RESISTANT RUBBER DISCHARGE HOSE 	<b>TIGERFLEX</b> TIGER GREEN TG SERIES EPDM SUCTION HOSE 
<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>
79-IR40X660B	4"	45-GF200x200	2"
79-IR45X660B	4-1/2"	45-GF300x200	3"
		45-GF400x200	4"
		45-GF600x100	6"
		45-GF800x100	8"
<b>TIGERFLEX</b> W SERIES HEAVY DUTY PVC LIQUID SUCTION HOSE 	<b>OROFLEX20</b> MAINLINE HOSE  <b>OROFLEX</b> LAYFLAT HOSES	<b>OROFLEX30</b> DRAG HOSE  <b>OROFLEX</b>	***** <b>See</b> <b>Page 19</b> <b>For</b> <b>Clamps</b> *****
<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	
45-W250X100	2 1/2"	123-Oroflex20 6"	4"
45-W300X100	3"	123-Oroflex20 7"	5"
45-W400X100	4"	123-Oroflex20 8"	6"
45-W600X100	6"	123-Oroflex20 10"	8"
<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	<u>Part #</u> <u>Size</u>	
123-Oroflex30 4"	4"	123-Oroflex30 4"	4"
123-Oroflex30 5"	5"	123-Oroflex30 5"	5"
123-Oroflex30 6"	6"	123-Oroflex30 6"	6"



**MANDALS  
SUPERMAN  
MAINLINE  
LENGTH: 660'**

**mandals**



<u>Part #</u>	<u>Size</u>
43-ULY203SM200	8"
43-ULY254SM200	10"
43-ULY305SM200	12"

**MANTEX HOSE  
ASSEMBLY WITH  
DIXON ENDS**



<u>Part #</u>	<u>Size</u>
100-2x50MANTEXHOSE	2" x 50'
100-3x50MANTEXHOSE	3" x 50'

**MANTEX AIR HOSE  
LESS ENDS**

<u>Part #</u>	<u>Size</u>
43-HPY051OM	2" x 50'
43-HPY076OM998	3" x 50'

**MANDALS  
DRAGMAN  
DRAG HOSE  
mandals**



<u>Part #</u>	<u>Size</u>	<u>Length</u>
43-DRX127OM200	5"	660'
43-DRX127OM300	5"	990'
43-DRX127OM400	5"	1320'
43-DRX140OM200	5.5"	660'
43-DRX140OM300	5.5"	990'
43-DRX140OM400	5.5"	1320'
43-DRX152OM200	6"	660'
43-DRX152OM300	6"	990'
43-DRX152OM400	6"	1320'
43-DRX178OM200	7"	660'

**DIXON AIR  
HOSE CONNECTION**

<u>Part #</u>	<u>Description</u>
154-GB28	2" WNT x Female NPT
154-GB38	3" WNT x Female NPT
154-GM28	2" Male NPT x WNT
154-GM38	3" Male NPT x WNT
154-GDB28	2" WNT x WNT
154-GDB38	3" WNT x WNT

**Single Bolt Supra /  
Super Clamp**

<b>Part #</b>	<b>Inches Diameter</b>	<b>MM Diameter</b>
72-4650.03	29/32" - 63/64"	23 - 25
72-4650.04	1 5/32" - 1 7/32"	26 - 28
72-4650.06	1 5/16" - 1 7/16"	34 - 37
72-4650.07	1 7/16" - 1 9/16"	37 - 40
72-4650.08	1 9/16" - 1 11/16"	40 - 43
72-4650.09	1 11/16" - 1 7/8"	43 - 47
72-4650.10	1 7/8" - 2"	47 - 51
72-4650.11	2" - 2 5/32"	51 - 55
72-4650.12	2 5/32" - 2 5/16"	55 - 59
72-4650.13	2 5/16" - 2 1/2"	59 - 63
72-4650.14	2 1/2" - 2 11/16"	63 - 68
72-4650.15	2 11/16" - 2 7/8"	68 - 73
72-4650.16	2 7/8" - 3 1/8"	73 - 79
72-4650.17	3 1/8" - 3 11/32"	79 - 85
72-4650.18	3 11/32" - 3 9/16"	85 - 91
72-4650.19	3 9/16" - 3 13/16"	91 - 97
72-4650.20	3 13/16" - 4 3/32"	97 - 104
72-4650.21	4 3/32" - 4 3/8"	104 - 112
72-4650.22	4 3/8" - 4 3/4"	112 - 121
72-4650.23	4 3/4" - 5 1/8"	121 - 130
72-4650.24	5 5/32" - 5 1/2"	130 - 140
72-4650.25	5 1/2" - 5 7/8"	140 - 150
72-4650.26	5 7/8" - 6 3/8"	150 - 162
72-4650.27	6 3/8" - 6 7/8"	162 - 174
72-4650.28	6 7/8" - 7 3/8"	174 - 187
72-4650.29	7 3/8" - 7 15/16"	187 - 200
72-4650.30	7 15/16" - 8 7/16"	200 - 213
72-4650.31	8 7/16" - 8 15/16"	213 - 226
72-4650.34	10" - 10-1/2"	254 - 267

**Spiral  
Double Bolt  
Clamp**(COUNTER CLOCKWISE/  
LEFT HANDED)

<b>Part #</b>	<b>Size</b>
45-SDBC2	2"
45-SDBC3	3"
45-SDBC4	4"
45-SDBC6	6"
45-SDBC8	8"
45-SDBC10	10"

**Band-It®  
Center  
Punch  
Clamp**

<b>Part #</b>	<b>Size</b>
23-CP12S9	3" x 5/8"
23-CP16S9	4" x 5/8"
23-CP24S9	6" x 5/8"
23-CP32S9	8" x 5/8"

**Worm Gear Clamp**

<b>Part #</b>	<b>Size</b>
63-H1000P	9/16" - 1 1/16"
63-H1200P	11/16" - 1 1/4"
63-H1600P	3/4" - 1 1/2"

**Travis  
Ringlock  
Clamp**

<b>Part #</b>	<b>Size</b>
16-HPRLC300	3"
16-HPRLC400	4"
16-HPRLC500	5"
16-HPRLC600	6"
16-HPRLC600TL	6"(oversize)
16-HPRLC800	8"
16-HPRLC800TL	8"(oversize)

**Victaulic  
Grooved  
Clamp**

<b>Part #</b>	<b>Size</b>
03-F087-90-08G	2"
03-F087-90-10G	2.5"
03-F087-90-12G	3"
03-F087-90-16G	4"
03-F087-90-20G	5"
03-F087-90-24G	6"
03-F087-90-32G	8"

**Felton Ringlock  
Clamp**

<b>Part</b>	<b>Size</b>
16-1864-1	6"
16-1865-1	8"

**Shug Grip Coupler  
HD Ring Clamp**

<b>Part</b>	<b>Size</b>
20-M3CL6	6"
20-M3CL8	8"
20-M3CL10	10"

**Shug Grip Coupler  
Single-Wide  
3-Piece Clamp**

<b>Part</b>	<b>Size</b>
100-3P4	4"

**Double Bolt  
Hose Clamp**

<b>Part #</b>	<b>Size Range</b>
45-DB463	4 1/16" - 4 5/8"
45-DB525	4 11/16" - 5 1/4"
45-DB550	5" - 5 1/2"
45-DB600	5 1/16" - 6 1/16"
45-DB675	6 1/8" - 6 7/8"
45-DB769	6 15/16" - 7 5/8"
45-DB818	7 11/16" - 8 3/16"
45-DB875	8 1/4" - 8 7/8"
45-DB988	8 15/16" - 9 7/8"

**Pierce Ringlock  
Clamp**

<b>Part #</b>	<b>Size</b>
03-P2123-08	4"
03-P2123-01	5"
03-P2123-02	6"
03-P2123-03	8"
03-P2123-04	10"
03-P2123-05	12"

**Band & Latch  
Assembly**

<b>Part #</b>	<b>Size</b>
03-P1034-01	2"
03-P1035-01	3"
03-P1036-81	4"
03-P1036-82	5"
03-P1036-83	6"
03-P1037-82	8"

**Shug Grip Coupler  
Double-Wide  
3-Piece Clamp**

<b>Part #</b>	<b>Size</b>
20-M3SEG45-3A	4.5"
20-M3SEG5-3A	5"
20-M3SEG55-3A	5.5"
20-M3SEG6-3A	6"
20-M3SEG7-4A	7"
20-M3SEG8-4A	8"
20-M3SEG10-5A	10"



## CADMAN LARGE TRAVELERS

Cadman is the leader for large travelers. Their design is based on the company's motto:

***Strength...Simplicity...Dependability***

The frame is by far the strongest in the industry. By utilizing high quality tubing for the upper and lower frames and a continuous core for the drum, Cadman is unmatched for strength.

The Cadman drive system is the simplest to use in the industry. The speed-compensation system is very accurate and user friendly. For dependability, the Cadman traveler is on top. Because they keep the end user in mind, the Cadman traveler is built with the highest quality components, including the Honda engine, heavy duty transmission, high tensile chain, and the best turn-table available. You can always count on a Cadman traveler to be ready to go to the field.

Compared to the competition's multiple rods and levers, Cadman only has one lever on the transmission and one knob to control the speed.



Model	Hose I.D.	Hose Length	Flow Rate GPM
3600XL-B	3.6"	2250'	220 - 297
3750XL	3.75"	1320'	320 - 425
Wide Body			
4000S	4.04"	1250'	400 - 530
Wide Body			
4000XL	4.0"	1400'	369 - 500
Wide Body			
4000XL	4.0"	1550'	349 - 472
Wide Body			
4000XL	4.0"	1850'	317 - 429
Wide Body			
4500	4.5"	1320'	519 - 702
Wide Body			
5000	5.0"	1200'	719 - 973
Wide Body			

## CADMAN JOHN DEERE POWER PAK



Cadman builds a unit packed with features and benefits that allows the engine to perform at maximum performance. Advanced engine controls constantly monitor engine load and ambient conditions. A 125° ambient temperature radiator, with a variable-pitch fan for maximum performance, two-stage air cleaner, and a 700 cold cranking amp battery are standard. Following guidelines of the engine manufacturer, Cadman mounts the engine and performs vibration analysis, so that you, the customer have an end product that provides smooth, trouble-free service.

### CADMAN MINI-POWER UNIT

Portable High-Pressure Engine-Driven Pump  
Caprari Pump with Honda Engine  
100-350 GPM at 40-120 PSI / Range is 13-22 HP



### CADMAN 6003 HOSE CADDY

Holds up to three 6" x 660' supply hoses!  
09-TR-CAD-HC3PT-3



**CAPRARI PTO PUMPS - Rugged Tractor Driven Centrifugal Pumps**

Caprari D3/65 PTO Pump

Caprari PTO Pumps have a heavy duty trailer with 4.00 x 8 standard tires. The pumps are supplied with a PTO shaft, hand primer and discharge check valve. An appropriately sized NPT female coupling is supplied for the suction end.

Models Available:

Flow Range from 50 -1400 GPM

PSI Range from 21 -200 PSI

RPM Range from 540

**SAE MOUNT WATER PUMPS**

Caprari pumps are known worldwide for their quality construction, reliability, and high efficiency.

The two and three-stage horizontal shaft centrifugal pumps are equipped with oversized supports and bearings to provide superior coupling dependability for connection to a gasoline or diesel engine. All pumps are flanged for SAE 3 engines, however, adapter rings are available for SAE 1, 2 and 4 engines. Pumps are composed of a suction cover, flow directing bladed diffusers, volute shaped casing, bearing housing, grey cast iron impellers, stainless steel shaft and external carbon steel tie bolts to securely fasten the pump assembly.

**HONDA WATER PUMP**

3" NorthStar High Pressure Water Pump with 3" Ports


10,500 GPH

116 PSI

270 CC Honda GX270 Engine

**SAE ENGINE-MOUNT TYPE B CENTRIFUGAL PUMPS  
or FRAME-MOUNT TYPE B CENTRIFUGAL PUMPS**

For more than half a century now, distinctive-orange Berkeley pumps have earned a worldwide reputation for rugged construction and dependable performance in the most demanding installations. Berkeley pumps can be found in building services, firefighting, dewatering, irrigation, process liquid transfer, municipal water supply and many other applications. Electric pumps also available.

**CORNELL MANURE SLURRY PUMP**

Cornell has incorporated many unique and innovative design features into its liquid waste slurry pumps, while maintaining its position in the industry as the leader of heavy-duty, low maintenance pumps. Cornell's liquid waste slurry pumps have been used successfully in a variety of farm, industrial and municipal waste applications. Their slurry and non-clog pumps are used in big gun applications, injection systems and liquid manure transfer. These pumps are designed specifically to handle manure slurry applications and provide a long service life.

**DODA LIQUID MANURE PTO PUMP**

**The Doda Manure Pump has a number of features that make it a cut above the rest.**

- Tough gearbox capable of handling the higher hp requirements of the larger gallonages & pressures.
- High pressure capability to help push that extra volume and distance.
- Static cutter knives to chop up any solids that find their way into the pump.
- Mechanical seal with a secondary lubrication and located separate from the gear case which prevents gearbox failure due to seal failure.
- Quick connect suction fittings are standard.
- Check valve in suction cone to prevent loss of prime during temporary shut-down periods.



**MALE CAMLOCK x FPT**

<u>Part #</u>	<u>Size</u>
106-075A	3/4"
106-100A	1"
106-150A	1 1/2"
106-200A	2"
106-300A	3"

**FEMALE COUPLER x FPT**

<u>Part #</u>	<u>Size</u>
106-075D	3/4"
106-100D	1"
106-150D	1 1/2"
106-200D	2"
106-300D	3"

**CAP (MALE ADAPTER)**

<u>Part #</u>	<u>Size</u>
106-075CAP	3/4"
106-100CAP	1"
106-150CAP	1 1/2"
106-200CAP	2"
106-300CAP	3"

**MALE CAMLOCK x MPT**

<u>Part #</u>	<u>Size</u>
106-075F	3/4"
106-100F	1"
106-150F	1 1/2"
106-200F	2"
106-300F	3"

**FEMALE COUPLER x MPT**

<u>Part #</u>	<u>Size</u>
106-075B	3/4"
106-100B	1"
106-150B	1 1/2"
106-200B	2"
106-300B	3"

**PLUG (FEMALE COUPLER)**

<u>Part #</u>	<u>Size</u>
106-075PL	3/4"
106-100PL	1"
106-150PL	1 1/2"
106-200PL	2"
106-300PL	3"

**MALE CAMLOCK x HOSE**

<u>Part #</u>	<u>Size</u>
106-075E	3/4"
106-100E	1"
106-150E	1 1/2"
106-200E	2"
106-300E	3"

**FEMALE COUPLER x HOSE**

<u>Part #</u>	<u>Size</u>
106-075C	3/4"
106-100C	1"
106-150C	1 1/2"
106-200C	2"
106-300C	3"

**POLY HOSE BARB**

<u>Part #</u>	<u>Size</u>
106-HB075	3/4"
106-HB100	1"
106-HB150	1 1/2"
106-HB200	2"
106-HB300	3"

**POLY 90° ELBOW**

<u>Part #</u>	<u>Size</u>
106-EL100-90	1"
106-EL200-90	2"
106-EL300-90	3"

**POLY 45° ELBOW**

<u>Part #</u>	<u>Size</u>
106-EL100-45	1"

**POLY HOSE MENDER**

<u>Part #</u>	<u>Size</u>
106-HM200	2"
106-HM300	3"

**POLY 90° STREET ELBOW**

<u>Part #</u>	<u>Size</u>
106-SL200-90	2"
106-SL300-90	3"

**POLY 45° STREET ELBOW**

<u>Part #</u>	<u>Size</u>
106-SL200-45	2"
106-SL300-45	3"

**POLY TEE**

<u>Part #</u>	<u>Size</u>
106-TEE200	2"
106-TEE300	3"

**POLY NIPPLE**

<u>Part #</u>	<u>Size</u>
106-NIP200-SH	2" Short
106-NIP200-4	2" x 4"
106-NIP200-6	2" x 6"
106-NIP300-SH	3" Short
106-NIP300-4	3" x 4"
106-NIP300-6	3" x 6"
106-NIP400-SH	4" Short

**TANK FLANGE GASKET**

<u>Part #</u>	<u>Description</u>
106-TF220G	2" Flange Gasket
106-TF300G	3" Flange Gasket

**POLY BULKHEAD FITTING**

<u>Part #</u>	<u>Description</u>	<u>Hole Size</u>
106-TF200	2" EPDM Tank Fitting	3"
106-TF300	3" EPDM Tank Fitting	4 1/2"

**BOLTED BALL VALVE - FULL PORT**

<u>Part #</u>	<u>Size</u>	<u># of Bolts</u>
106-V100FP	1"	4
106-V150	1-1/2"	4
106-V200FP	2"	6
106-V300FP	3"	6

**BALL VALVE REPLACEMENT HANDLE**

<u>Part #</u>	<u>Description</u>
106-VS20152SH	2" Short Style Handle
106-V25153	Handle - Straight
106-V25270	Valve Mounting Bracket - Straight
106-V25271	Valve Mounting Bracket - 90°

**Y-STRAINER FPT x FPT**

<u>Part #</u>	<u>Description</u>
106-LS200-50	2" w/ Poly Ribbed SS Screen
106-LSM300-50	3" w/ Poly Ribbed SS Screen



For a complete list of Banjo fittings available, please visit their website at [www.banjocorp.com](http://www.banjocorp.com)

**MANIFOLD FLANGE CONNECTIONS**

<b>FLANGE x MPT</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220MPT</td><td>2"</td></tr><tr><td>106-M300MPT</td><td>3"</td></tr></table> 	Part #	Size	106-M220MPT	2"	106-M300MPT	3"	<b>FLANGED TEE</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220TEE</td><td>2"</td></tr><tr><td>106-M300TEE</td><td>3"</td></tr></table> 	Part #	Size	106-M220TEE	2"	106-M300TEE	3"	<b>FLANGE X HOSE BARB</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220BRB</td><td>2"</td></tr><tr><td>106-M300BRB</td><td>3"</td></tr></table> 	Part #	Size	106-M220BRB	2"	106-M300BRB	3"
Part #	Size																			
106-M220MPT	2"																			
106-M300MPT	3"																			
Part #	Size																			
106-M220TEE	2"																			
106-M300TEE	3"																			
Part #	Size																			
106-M220BRB	2"																			
106-M300BRB	3"																			
<b>FLANGE x FPT</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220FPT</td><td>2"</td></tr><tr><td>106-M300FPT</td><td>3"</td></tr></table> 	Part #	Size	106-M220FPT	2"	106-M300FPT	3"	<b>FLANGED 90° ELBOW</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220CPG90</td><td>2"</td></tr><tr><td>106-M300CPG90</td><td>3"</td></tr></table> 	Part #	Size	106-M220CPG90	2"	106-M300CPG90	3"	<b>FLANGE X 45° HOSE BARB ELBOW</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220BRB45</td><td>2"</td></tr></table> 	Part #	Size	106-M220BRB45	2"		
Part #	Size																			
106-M220FPT	2"																			
106-M300FPT	3"																			
Part #	Size																			
106-M220CPG90	2"																			
106-M300CPG90	3"																			
Part #	Size																			
106-M220BRB45	2"																			
<b>FLANGE x MALE ADAPTER</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220A</td><td>2"</td></tr></table> 	Part #	Size	106-M220A	2"	<b>FLANGE x FEMALE COUPLER</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M220D</td><td>2"</td></tr></table> 	Part #	Size	106-M220D	2"	<b>FLANGE GASKET (Full Port)</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M221G</td><td>2"</td></tr></table> 	Part #	Size	106-M221G	2"						
Part #	Size																			
106-M220A	2"																			
Part #	Size																			
106-M220D	2"																			
Part #	Size																			
106-M221G	2"																			
For a complete list of Banjo fittings available, please visit their website at <a href="http://www.banjocorp.com">www.banjocorp.com</a>																				

<b>REDUCING BUSHING</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-RB200-150</td><td>2"x1 1/2"</td></tr><tr><td>106-RB300-200</td><td>3"x2"</td></tr></table> 	Part #	Size	106-RB200-150	2"x1 1/2"	106-RB300-200	3"x2"	<b>POLY CAP - THREADED</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-CAP100</td><td>1"</td></tr><tr><td>106-CAP200</td><td>2"</td></tr></table> 	Part #	Size	106-CAP100	1"	106-CAP200	2"	<b>REDUCING COUPLING</b>  <table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-M300220CPG</td><td>3"x 2"</td></tr><tr><td></td><td>Full Port</td></tr></table> 	Part #	Size	106-M300220CPG	3"x 2"		Full Port
Part #	Size																			
106-RB200-150	2"x1 1/2"																			
106-RB300-200	3"x2"																			
Part #	Size																			
106-CAP100	1"																			
106-CAP200	2"																			
Part #	Size																			
106-M300220CPG	3"x 2"																			
	Full Port																			
<b>MANIFOLD VALVE - FLANGE x FLANGE</b>  	<b>MANIFOLD "Y" LINE STRAINER</b>  	<b>WORM SCREW CLAMP</b>  																		
<table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-MVS220CF</td><td>2" Full Port</td></tr><tr><td>106-MVS300CFFP</td><td>3" Full Port</td></tr></table>	Part #	Size	106-MVS220CF	2" Full Port	106-MVS300CFFP	3" Full Port	<table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-MLS200-50</td><td>2" Y Line Strainer with 50 Mesh Screen</td></tr></table>	Part #	Size	106-MLS200-50	2" Y Line Strainer with 50 Mesh Screen	<table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-FC221HD</td><td>2"</td></tr><tr><td>106-FC300</td><td>3"</td></tr></table>	Part #	Size	106-FC221HD	2"	106-FC300	3"		
Part #	Size																			
106-MVS220CF	2" Full Port																			
106-MVS300CFFP	3" Full Port																			
Part #	Size																			
106-MLS200-50	2" Y Line Strainer with 50 Mesh Screen																			
Part #	Size																			
106-FC221HD	2"																			
106-FC300	3"																			

<b>FLOW METERS - FULL PORT</b>														
														
<table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-FM100</td><td>1" Full Port Female NPT Flow Meter</td></tr></table>	Part #	Size	106-FM100	1" Full Port Female NPT Flow Meter	<table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-MFM100</td><td>1" Full Port Manifold Flow Meter (Male)</td></tr></table>	Part #	Size	106-MFM100	1" Full Port Manifold Flow Meter (Male)	<table border="1"><tr><th>Part #</th><th>Size</th></tr><tr><td>106-MFM220</td><td>2" Full Port Manifold Flow Meter (Male)</td></tr></table>	Part #	Size	106-MFM220	2" Full Port Manifold Flow Meter (Male)
Part #	Size													
106-FM100	1" Full Port Female NPT Flow Meter													
Part #	Size													
106-MFM100	1" Full Port Manifold Flow Meter (Male)													
Part #	Size													
106-MFM220	2" Full Port Manifold Flow Meter (Male)													

**COUPLER x FEMALE NPT****Part #** **Size**

45-AL-D075	3/4"
45-AL-D100	1"
45-AL-D150	1-1/2"
45-AL-D200	2"
45-AL-D300	3"
45-AL-D400	4"
45-AL-D600	6"
45-AL-D 800	8"

**COUPLER x HOSE SHANK****Part #** **Size**

45-AL-C075	3/4"
45-AL-C100	1"
45-AL-C150	1-1/2"
45-AL-C200	2"
45-AL-C300	3"
45-AL-C400	4"
45-AL-C600	6"
45-AL-C800	8"

**COUPLER x MALE NPT****Part #** **Size**

45-AL-B075	3/4"
45-AL-B100	1"
45-AL-B150	1-1/2"
45-AL-B200	2"
45-AL-B300	3"
45-AL-B400	4"
45-AL-B600	6"
45-AL-B800	8"

**ADAPTER x FEMALE NPT****Part #** **Size**

45-AL-A075	3/4"
45-AL-A100	1"
45-AL-A150	1-1/2"
45-AL-A200	2"
45-AL-A300	3"
45-AL-A400	4"
45-AL-A600	6"
45-AL-A800	8"

**ADAPTER x HOSE SHANK****Part #** **Size**

45-AL-E075	3/4"
45-AL-E100	1"
45-AL-E150	1-1/2"
45-AL-E200	2"
45-AL-E300	3"
45-AL-E400	4"
45-AL-E600	6"
45-AL-E800	8"

**ADAPTER x MALE NPT****Part #** **Size**

45-AL-F075	3/4"
45-AL-F100	1"
45-AL-F150	1-1/2"
45-AL-F200	2"
45-AL-F300	3"
45-AL-F400	4"
45-AL-F600	6"
45-AL-F800	8"

**DUST CAP****Part #** **Size**

45-AL-DC075	3/4"
45-AL-DC100	1"
45-AL-DC150	1-1/2"
45-AL-DC200	2"
45-AL-DC300	3"
45-AL-DC400	4"
45-AL-DC600	6"
45-AL-DC800	8"

**DUST PLUG****Part #** **Size**

45-AL-DP075	3/4"
45-AL-DP100	1"
45-AL-DP150	1-1/2"
45-AL-DP200	2"
45-AL-DP300	3"
45-AL-DP400	4"
45-AL-DP600	6"
45-AL-DP800	8"

**REPLACEMENT GASKET****Part #** **Size**

45-BUNA075	3/4"
45-BUNA100	1"
45-BUNA150	1-1/2"
45-BUNA200	2"
45-BUNA300	3"
45-BUNA400	4"
45-BUNA600	6"
45-BUNA800	8"

**REPLACEMENT HANDLE****Part #** **Size**

45-HABRASS-100	1" - 1-1/2"
45-HABRASS-200	1-1/2"-2-1/2"
45-HABRASS-300	3" - 5"
45-HABRASS-600	6" - 8"



Kuriyama of America, Inc.

Brass, Stainless Steel, Polypropylene,  
along with other sizes available upon request.**TIGERFLEX HOSE****YELLOW EPDM DISCHARGE & SUCTION HOSE**

(Working Pressure 65 PSI @ 68°)

**TIGERFLEX HOSE****BLACK EPDM DISCHARGE & SUCTION HOSE**

(Working Pressure 100 PSI @ 68°)

**TIGERFLEX HOSE****"H" SERIES DISCHARGE & SUCTION HOSE**

(Working Pressure 65 PSI @ 68°)

**SINGLE BOLT CLAMP FOR TIGERFLEX HOSE****Part #** **Size**

72-4650.09	1-1/2"
72-4650.13	2"
72-4650.18	3"

**CENTER PUNCH TOOL****Part #** **Size**

60-HBC300	5/8" Punch Tool
-----------	-----------------

**BAND-IT® CENTER PUNCH CLAMP****Part #** **Size**

23-CP12S9	3" x 5/8"
23-CP16S9	4" x 5/8"
23-CP24S9	6" x 5/8"
23-CP32S9	8" x 5/8"



<b>90° B&amp;L REVERSIBLE ELBOW</b>	
<u>Part #</u>	<u>Size</u>
03-P1103-61	2"
03-P1104-61	3"
03-P1105-61	4"
03-P1106-61	5"
03-P1107-61	6"

<b>90° RINGLOCK ELBOW - ALUMINUM</b>	
<u>Part #</u>	<u>Size</u>
16-HPFE400	4"
16-HPFE600	6"
16-HPFE800	8"

<b>90° RINGLOCK ELBOW - STEEL</b>	
<u>Part #</u>	<u>Size</u>
03-P1796-62	4"
03-P1797-61	6"
03-P1797-63	8"

<b>45° B&amp;L REVERSIBLE ELBOW</b>	
<u>Part #</u>	<u>Size</u>
03-P1121-61	2"
03-P1122-61	3"
03-P1123-61	4"
03-P1124-61	5"
03-P1125-61	6"

<b>45° RINGLOCK ELBOW - ALUMINUM</b>	
<u>Part #</u>	<u>Size</u>
16-HPFE400 45	4"
16-HPFE600 45	6"
16-HPFE800 45	8"

<b>45° RINGLOCK ELBOW - STEEL</b>	
<u>Part #</u>	<u>Size</u>
03-P1799-62	4"
03-P1798-61	6"
03-P1798-63	8"

<b>BAND &amp; LATCH END PLUG</b>	
<u>Part #</u>	<u>Size</u>
03-P1087-01	2"
03-P1087-02	3"
03-P1087-03	4"
03-P1087-04	5"
03-P1087-05	6"

<b>RINGLOCK END PLUG - ALUMINUM</b>	
<u>Part #</u>	<u>Size</u>
16-HPEP400	4"
16-HPEP600	6"
16-HPEP800	8"

<b>RINGLOCK END PLUG - STEEL</b>	
<u>Part #</u>	<u>Size</u>
03-P3206-01	4"
03-P3206-03	6"
03-P3206-05	8"

<b>BAND &amp; LATCH END TEE</b>	
<u>Part #</u>	<u>Size</u>
03-P1079-61	2"
03-P1077-61	3"
03-P1077-62	4"
03-P1078-62	6"

<b>RINGLOCK END TEE - ALUMINUM</b>	
<u>Part #</u>	<u>Size</u>
16-HPET400	4"
16-HPET600	6"
16-HPET800	8"

<b>RINGLOCK END TEE - STEEL</b>	
<u>Part #</u>	<u>Size</u>
03-P1181-61	4"
03-P1181-63	6"
03-P1181-65	8"

<b>BAND &amp; LATCH LINE TEE</b>	
<u>Part #</u>	<u>Size</u>
03-P1092-61	2"
03-P1091-62	3"
03-P1090-63	4"
03-P1089-64	6"

<b>RINGLOCK LINE TEE - ALUMINUM</b>	
<u>Part #</u>	<u>Size</u>
16-HPFT400	4"
16-HPFT600	6"
16-HPFT800	8"

<b>RINGLOCK LINE TEE - STEEL</b>	
<u>Part #</u>	<u>Size</u>
03-P1504-62	4"
03-P1506-64	6"
03-P1507-65	8"

<b>BOLT-ON COUPLER SET</b>	
<u>Part #</u>	<u>Size</u>
16-CLO400	4"
16-CLO600	6"

<b>BAND &amp; LATCH REDUCER</b>	
<u>Part #</u>	<u>Size</u>
03-P1085-61	3" x 2"
03-P1085-62	4" x 2"
03-P1085-63	4" x 3"
03-P1085-64	5" x 3"

<u>Part #</u>	<u>Size</u>
03-P1085-65	5" x 4"
03-P1085-68	6" x 4"
03-P1085-69	6" x 5"

**ALUMINUM  
45° WELDING  
ELBOW**

<u>Part #</u>	<u>Size</u>
16-WE43	3"
16-WE44	4"
16-WE45	5"
16-WE46	6"
16-WE48	8"

**ALUMINUM  
90° WELDING  
ELBOW**

<u>Part #</u>	<u>Size</u>
16-WE93	3"
16-WE94	4"
16-WE95	5"
16-WE96	6"
16-WE98	8"

**WELD-ON  
END PLUG  
COVER**

<u>Part #</u>	<u>Size</u>
16-WEPC600	6"
16-WEPC700	7"
16-WEPC800	8"
16-WEPC1000	10"

**ALUMINUM  
WELDING  
CONE**

<u>Part #</u>	<u>Size</u>
16-WC302	3 x 2
16-WC402	4 x 2
16-WC403	4 x 3
16-WC406	6 x 4
16-WC608	6 x 8
16-WC8010	8 x 10
16-WC1012	10 x 12

**WELD-ON  
MALE END  
(RINGLOCK)**

<u>Part #</u>	<u>Size</u>
16-HPM400	4"
16-HPM600	6"
16-HPM800	8"
16-HPM1000	10"

**ALUMINUM  
WELD-ON  
FLANGE**

<u>Part #</u>	<u>Size</u>
16-APF300	3"
16-APF400	4"
16-APF600	6"
16-APF800	8"
16-APF1000	10"

**SADDLE  
COUPLING**

<u>Part #</u>	<u>Size</u>
16-SC075	3/4"
16-SC100	1"

**ALUMINUM  
HALF  
COUPLING**

<u>Part #</u>	<u>Size</u>
16-HC100	1"
16-HC125	1 1/4"
16-HC150	1 1/2"
16-HC200	2"
16-HC250	2 1/2"
16-HC300	3"
16-HC400	4"
16-HC500	5"
16-HC600	6"
16-HC800	8"

**ALUMINUM  
HALF  
NIPPLE**

<u>Part #</u>	<u>Size</u>
16-NA100	1"
16-NA125	1 1/4"
16-NA150	1 1/2"
16-NA200	2"
16-NA250	2 1/2"
16-NA300	3"
16-NA400	4"
16-NA500	5"
16-NA600	6"
16-NA800	8"

**WELD-ON  
COUPLER  
(RINGLOCK)**

<u>Part #</u>	<u>Size</u>
16-HPF400	4"
16-HPF600	6"
16-HPF800	8"
16-HPF1000	10"

**ALUMINUM  
WELDING  
DISC**

<u>Part #</u>	<u>Size</u>
16-AWD-4	4"
16-AWD-6	6"
16-AWD-8	8"

**ALUMINUM  
WELD-ON  
RING**

<u>Part #</u>	<u>Size</u>
16-R600	6"
16-R800	8"

**WELD-ON  
LATCH POCKET**

<u>Part #</u>	<u>Size</u>
16-WLP34	3" x 4"
16-WLP56	5" x 6"

**WELD-ON  
HOOK BRACKET**

<u>Part #</u>
16-WHB

*Additional styles and sizes are available upon request.*

*Please call for more information.*

**HOSE TO COUPLER**

Hose Adapters used to connect hose to Ringlock fittings. Includes roundback gasket.



<u>Part #</u>	<u>Hose Barb</u>	<u>Ringlock Bell</u>
03-P1842-62	4" OD	4"
03-P1842-64	6" OD	6"
03-P1842-65	8" OD	8"

**HOSE TO MALE END**

Hose Adapters used to connect hose to Ringlock fittings.



<u>Part #</u>	<u>Hose Barb</u>	<u>Ringlock Male End</u>
03-P1843-02	4" OD	4"
03-P1843-04	6" OD	6"
03-P1843-05	8" OD	8"

**HOSE TO FEMALE UNIVERSAL BELL**

Hose Adapters used to connect hose to Universal lateral fittings. Includes roundback gasket.



<u>Part #</u>	<u>Hose Barb</u>	<u>Universal Bell</u>
03-P1788-62	3" OD	3"
03-P1788-63	4" OD	4"
03-P1788-65	6" OD	6"

**HOSE TO UNIVERSAL MALE END**

<u>Part #</u>	<u>Hose Barb</u>	<u>Universal Male End</u>
03-P1791-02	3" OD	3"
03-P1791-04	4" OD	4"
03-P1791-07	6" OD	6"

**REDUCING HOSE x RINGLOCK FEMALE**

<u>Part #</u>	<u>Hose Barb</u>	<u>Ringlock Female End</u>
03-P3458-06	4" OD	6"

**REDUCING HOSE x RINGLOCK MALE**

<u>Part #</u>	<u>Hose Barb</u>	<u>Ringlock Male End</u>
03-P3108-06	4" OD	6"

**RINGLOCK BOLT-ON RING**

<u>Part #</u>	<u>Size</u>
22-BOLTM06	6"
22-BOLTM08	8"

**REDUCING HOSE x FEMALE BAND & LATCH**

<u>Part #</u>	<u>Hose Barb</u>	<u>Universal Female End</u>
03-P0019-27	4" OD	6"

**REDUCING HOSE x MALE BAND & LATCH**

<u>Part #</u>	<u>Hose Barb</u>	<u>Universal Male End</u>
03-P0019-26	4" OD	6"

**HOSE BARB x RINGLOCK COUPLER**

<u>Part #</u>	<u>Description</u>
100-6HBX6RLC	6" Hose x 6" RL Coupler
100-8HBX8RLC	8" Hose x 8" RL Coupler

**HOSE BARB x RINGLOCK MALE END**

<u>Part #</u>	<u>Description</u>
100-6HBX6RLM	6" Hose x 6" RL Male End
100-8HBX8RLM	8" Hose x 8" RL Male End

**FEMALE RINGLOCK x FLANGE ADAPTER**

<u>Part #</u>	<u>Size</u>
22-FLFE06G	6"
22-FLFE08G	8"

**MALE RINGLOCK x FLANGE ADAPTER**

<u>Part #</u>	<u>Size</u>
22-FLME06G	6"
22-FLME08G	8"

**GALVANIZED FLANGED 90° ELBOW**

<u>Part #</u>	<u>Size</u>
22-FL9004G	4"
22-FL9006G	6"
22-FL9008G	8"

**GALVANIZED FLANGED TEE**

<u>Part #</u>	<u>Size</u>
22-FLTE06G	6"
22-FLTE08G	8"

**MALE PIPE THREAD x FLANGE ADAPTER**


<u>Part #</u>	<u>Size</u>
22-FLMT0604G	4" x 6"
22-FLMT0606G	6" x 6"
22-FLMT0806G	6" x 8"

**STEEL WELDING RINGS (FOR IRRIGATION APPLICATIONS)**

<u>Part #</u>	<u>Size</u>
100-P0044-77	6"
100-P0047-79	8"

\*\*\*\*\*  
Additional combinations and sizes available as well as fabrication of fittings.  
Please call for more details.  
\*\*\*\*\*

## PE TUBE SCREW-IN MENDER for 0.86 Inch - 2.3 Inch Polyethylene Tube



## INSTALLATION INSTRUCTIONS:

STEP 1: Cut hose on either side of damaged area. Make good, straight cuts. Use block of wood or soft hammer to tap collar fully onto end of hose.

STEP 2: Chamfer hose internally with knife or coarse file so that end of screw-in mender will enter hose.

STEP 3: Screw mender about 2/3rds into end of hose, using a wrench on the center knurled shoulder.

Important: Please note mender threads are different at each end. One is left-hand and one is right-hand. Unscrew mender from first end and repeat procedure for second end. Watch for left-hand thread. After screwing it in 2/3rds of the way, unscrew it again.

STEP 4: Now start mender in both ends of hose simultaneously. As it screws in, it will draw both ends of the hose to the center. This time, screw it all the way to the shoulder. The hose should now be ready to go immediately back into service.


**Part #**      **Description**

25-K58502333 27mm x 0.9" ID

25-K58502335 33mm x 1.1" ID

25-K58502328 40mm x 1.3" ID

25-K58502336 43mm x 1.4" ID

25-K58502329 50mm x 1.6" ID


25-K58502334 55mm x 1.8" ID

25-K58502327 58mm x 1.9" ID

25-K58502331 63mm x 2.1" ID

25-K58502337 70mm x 2.3" ID

## PE TUBE SCREW-IN MENDER for 2.5 Inch - 4.5 Inch Polyethylene Tube



## INSTALLATION INSTRUCTIONS:

Step 1: Cut tube on either side of damaged area. Clamp or hold tube in vice. Insure sharp corners do not cut tube. Press or tap collar fully onto end of tube.

Step 2: Chamfer tube internally with tapered reamer or coarse file so that end of screw-in mender will enter tube.

Step 3: Locate installation tool in half mender and push it into end of tube. Simultaneously push and rotate tool clockwise. As soon as mender starts to bite, it will cut its own thread. Screw mender fully into end of tube. After removing tool, clear away any shreds of polyethylene from inside tube.

Step 4: After fitting both halves of mender, couple them with threaded collar. Insure that any natural curve of tube is maintained when joining mender.


**Part #**      **Description**

19-588-0359-0 PE Tube Reamer for 135mm-75mm Tube

19-593-0295-0 Reamer Handle

19-585-0232-6 75mm x 2.5" ID

19-585-0232-5 82mm x 2.7" ID

19-585-0232-4 90mm x 3.0" ID

19-585-0232-3 100mm x 3.3" ID

19-585-0232-2 110mm x 3.7" ID

19-585-0233-2 120mm x 4.0" ID

19-585-0232-1 125mm x 4.1" ID

19-585-0232-0 135mm x 4.5" ID

## HOSE PULL COUPLER for 4.0 Inch - 5.0 Inch Hose

## INSTALLATION INSTRUCTIONS:

STEP 1: Cut end of hose off square, then measure 3" from hose end and mark all the way around. Cut four evenly spaced slits on even quarters exactly 3" deep to mark you made. CAUTION: Be sure to make no less than four slits evenly spaced. Tabs wider than 1/4 of hose circumference will wrinkle on coupler causing uneven tension on hose strands resulting in premature failure. Also make sure slits are of equal 3" depth. Uneven depth of slits will cause coupler to "cock" to one side, concentrating pull on one side of hose, resulting in premature failure. Slits less than 3" deep permit insufficient contact between hose and coupler resulting in decreased pull capacity.

STEP 2: Place outer coupler member (A) and Punch-Lok Band (B) over prepared hose end as shown. Do not tighten Punch-Lok Band yet.

STEP 3: Insert inner coupler member (C) into hose end as far as possible. Position band around untapered recess of inner coupler member (C) as shown next to tapered shoulder making sure slits are well forward of band. Slits under band will cause leaking.

STEP4: Tighten Punch-Lok Band (B) securely with Punch-Lok Tool.


**Part #**      **Description**

62-5-60120 4" x 4"

62-5-60130 4-1/2" x 4"

**HOSE BARB - 12 Gauge**
Part #      Size

03-P1790-02	3"
03-P1790-04	4"
03-P1790-06	5"
03-P1790-07	6"
03-P1790-08	8"
03-P1790-09	10"


**SHUG GRIP COUPLER  
WELD-ON HOSE BARB**
Part #      Size

100-SWOHB4	4"
100-SWOHB6	6"
100-HSGW8w/o	8" (excludes clamp)


**COMPRESSION  
COUPLING  
(PVC)**

**STEEL HOSE MENDER**
Part #      Size

45-SPHM200	2"
45-SPHM300	3"
45-SPHM400	4"
45-SPHM600	6"
45-SPHM800	8"
45-SPHM1000	10"
45-SPHM1200	12"


**SHUG GRIP MENDER SET**
Part #      Size

20-M3MCS4A	4"
20-M3MCS45A	4.5"
20-M3MCS5A	5"
20-M3MCS55A	5.5"
20-M3MCS6A	6"
20-M3MCS7A	7"
20-M3MCS8A	8"
20-M3MCS10A	10"


Part #      Size

26-S110-15	1 1/2"
26-S110-20	2"
26-S110-25	2 1/2"
26-S110-30	3"
26-S110-40	4"
26-S110-60	6"

**STEEL PLATED HOSE NIPPLE**
Part #      Size

45-SPN050	1/2"
45-SPN075	3/4"
45-SPN100	1"
45-SPN150	1 1/2"
45-SPN200	2"
45-SPN250	2 1/2"
45-SPN300	3"
45-SPN400	4"
45-SPN600	6"
45-SPN800	8"


**SHUG GRIP MAIN / DRAG  
COUPLER SET**
Part #      Size

20-M3CS4A	4"
20-M3CS45A	4.5"
20-M3CS5A	5"
20-M3CS55A	5.5"
20-M3CS6A	6"
20-M3CS7A	7"
20-M3CS725A	7.25"
20-M3CS8A	8"
20-M3CS10A	10"


Part #      Size

77-460T07	1 1/2"
77-460T08	2"
77-460T09	2 1/2"
77-460T10	3"
77-460T11	4"

**FLEXIBLE RUBBER COUPLING**

(Fernco Style with SS Bands)

Part #      Size

77-4561010	3"
77-4561111	4"
77-4561313	6"



\*\*Reducing Couplings, End Caps, &  
Other Sizes Available Upon Request\*\*

**LAY-FLAT INSERT COUPLING**

(Insert x Insert)


Part #      Description

54-C-02	2" Lay-Flat Insert Coupling
54-C-03	3" Lay-Flat Insert Coupling
54-C-04	4" Lay-Flat Insert Coupling
54-C-05	5" Lay-Flat Insert Coupling
54-C-06	6" Lay-Flat Insert Coupling
54-C-08	8" Lay-Flat Insert Coupling

**WEDGE-TITE REPAIR  
COUPLER SET 16" BODY**
Part #      Size

03-P9085-01	6" IPS
03-P9086-01	8" IPS
03-P9087-01	10" IPS
03-P9088-01	12" IPS


**SLIP COUPLING (PVC)  
(Slip x Slip)**
Part #      Description

26-429-005	1/2" Slip Coupling
26-429-007	3/4" Slip Coupling
26-429-010	1" Slip Coupling
26-429-012	1 1/4" Slip Coupling
26-429-015	1 1/2" Slip Coupling
26-429-020	2" Slip Coupling
26-429-025	2 1/2" Slip Coupling
26-429-030	3" Slip Coupling
26-429-040	4" Slip Coupling
26-429-050	5" Slip Coupling
26-429-060	6" Slip Coupling


Part #      Size

100-HM40	4"
100-HM45	4 1/2"


**HARD MENDERS**

(Soft Hose Travelers)


Part #      Size

03-P1578-21	4"
03-P1578-22	6"
03-P1578-23	8"
03-P1578-24	10"

**REPAIR COUPLER**


(Galvanized)

**FOOT VALVE  
45°  
FLANGED  
OD TUBING**


<u>Part #</u>	<u>Size</u>
02-SFV2	2"
02-SFV3	3"
02-SFV4	4"
02-SFV5	5"
02-SFV6	6"
02-SFV8	8"

**FOOT VALVE  
45°  
FEMALE  
THREAD**


<u>Part #</u>	<u>Size</u>
02-SFV2FP	2"
02-SFV3FP	3"
02-SFV4FP	4"
02-SFV5FP	5"
02-SFV6FP	6"
02-SFV8FP	8"

**FOOT VALVE  
45°  
COMPANION  
FLANGE**


<u>Part #</u>	<u>Size</u>
02-SFV2CF	2"
02-SFV3CF	3"
02-SFV4CF	4"
02-SFV5CF	5"
02-SFV6CF	6"
02-SFV8CF	8"

**STRAINER  
FOR  
PVC PIPE**


<u>Part #</u>	<u>Size</u>
02-SPVC4	4"
02-SPVC6	6"
02-SPVC8	8"
02-SPVC10	10"
02-SPVC12	12"
02-SPVC15	15"

**FOOT VALVE  
VERTICAL  
OD TUBING**


<u>Part #</u>	<u>Size</u>
02-SFVV3	3"
02-SFVV4	4"
02-SFVV5	5"
02-SFVV6	6"
02-SFVV8	8"

**FOOT VALVE  
VERTICAL  
FEMALE  
THREAD**


<u>Part #</u>	<u>Size</u>
02-SFVV2FP	2"
02-SFVV3FP	3"
02-SFVV4FP	4"
02-SFVV5FP	5"
02-SFVV6FP	6"
02-SFVV8FP	8"

**FOOT VALVE  
VERTICAL  
COMPANION  
FLANGE**


<u>Part #</u>	<u>Size</u>
02-SFVV2CF	2"
02-SFVV3CF	3"
02-SFVV4CF	4"
02-SFVV5CF	5"
02-SFVV6CF	6"
02-SFVV8CF	8"

**INTAKE  
STRAINER**


<u>Part #</u>	<u>Size</u>
02-SFS2	2"
02-SFS3	3"
02-SFS4	4"
02-SFS5	5"
02-SFS6	6"
02-SFS8	8"

**90° SUCTION  
ELBOW**


<u>Part #</u>	<u>Size</u>
02-SFE92	2"
02-SFE93	3"
02-SFE94	4"
02-SFE95	5"
02-SFE96	6"
02-SFE98	8"
02-SFE910	10"

**45° SUCTION  
ELBOW**


<u>Part #</u>	<u>Size</u>
02-SFE42	2"
02-SFE43	3"
02-SFE44	4"
02-SFE45	5"
02-SFE46	6"
02-SFE48	8"
02-SFE410	10"

**INTAKE  
COUPLING**


<u>Part #</u>	<u>Size</u>
02-SFC2	2"
02-SFC3	3"
02-SFC4	4"
02-SFC5	5"
02-SFC6	6"
02-SFC8	8"
02-SFC10	10"

**INTAKE  
ADAPTER**


<u>Part #</u>	<u>Size</u>
02-SFA152	1 1/2" x 2"
02-SFA22	2" x 2"
02-SFA23	2" x 3"
02-SFA24	2" x 4"
02-SFA253	2 1/2" x 3"
02-SFA33	3" x 3"
02-SFA34	3" x 4"
02-SFA35	3" x 5"
02-SFA36	3" x 6"
02-SFA44	4" x 4"

<u>Part #</u>	<u>Size</u>
02-SFA45	4" x 5"
02-SFA46	4" x 6"
02-SFA48	4" x 8"
02-SFA55	5" x 5"
02-SFA56	5" x 6"
02-SFA58	5" x 8"
02-SFA66	6" x 6"
02-SFA68	6" x 8"
02-SFA88	8" x 8"

**DISCHARGE  
ADAPTER**


<u>Part #</u>	<u>Size</u>
03-P1739-63	2" x 2"
03-P1740-63	2" x 3"
03-P1739-65	3" x 3"
03-P1740-65	2" x 4"
03-P1740-67	3" x 4"
03-P0029-25	4" x 4"
03-P0009-06	4" x 6"
03-P1740-74	5" x 6"
03-P0014-38	6" x 6"
03-P3116-73	6" x 8"

**HORIZONTAL  
STRAINER**


<u>Part #</u>	<u>Size</u>
02-SFSH4	4"
02-SFSH6	6"
02-SFSH8	8"
(With Foot Valve)	
02-SFSHV4	4"
02-SFSHV6	6"
02-SFSHV8	8"

**FOOT VALVE PARTS****FLAPPER GSKT ASSEMBLY**

<u>Part</u>	<u>Size</u>
02-VFG2A	2"
02-VFG3A	3"
02-VFG4A	4"
02-VFG5A	5"
02-VFG6A	6"
02-VFG8A	8"

**FLAPPER GASKET**

<u>Part</u>	<u>Size</u>
02-VFG2	2"
02-VFG3	3"
02-VFG4	4"
02-VFG5	5"
02-VFG6	6"
02-VFG8	8"

**VALVE SEAT RING**

<u>Part</u>	<u>Size</u>
02-VSR2	2"
02-VSR3	3"
02-VSR4	4"
02-VSR5	5"
02-VSR6	6"
02-VSR8	8"

**RING GASKET**

<u>Part</u>	<u>Size</u>
02-RG2	2"
02-RG3	3"
02-RG4	4"
02-RG5	5"
02-RG6	6"
02-RG8	8"

**BODY CASTING  
(THREADED & FLANGED AVAILABLE)**

<u>Part</u>	<u>Size</u>
02-BodyV2	2"
02-BodyV3	3"
02-BodyV4	4"
02-BodyV5	5"
02-BodyV6	6"
02-BodyV8	8"

**FV STRAINER SCREEN**

<u>Part</u>	<u>Size</u>
02-SOV2	2"
02-SOV3	3"
02-SOV4	4"
02-SOV5	5"
02-SOV6	6"
02-SOV8	8"

**FV BOTTOM DISK**

<u>Part</u>	<u>Size</u>
02-BDV2	2"
02-BDV3	3"
02-BDV4	4"
02-BDV5	5"
02-BDV6	6"
02-BDV8	8"

**FLANGE**

<u>Part</u>	<u>Size</u>
02-F2	2"
02-F3	3"
02-F4	4"
02-F5	5"
02-F6	6"
02-F8	8"

**RING CASTING**

<u>Part</u>	<u>Size</u>
02-SR2	2"
02-SR3	3"
02-SR4	4"
02-SR5	5"
02-SR6	6"
02-SR8	8"

**STRAINER SCREEN**

<u>Part</u>	<u>Size</u>
02-SOS2	2"
02-SOS3	3"
02-SOS4	4"
02-SOS5	5"
02-SOS6	6"
02-SOS8	8"

**STRAINER SCREEN NUT & BOLT**

<u>Part</u>	<u>Size</u>
02-SBS2	2"
02-SBS3	3"
02-SBS4	4"
02-SBS5	5"
02-SBS6	6"
02-SBS8	8"

**STRAINER BOTTOM DISK**

<u>Part</u>	<u>Size</u>
02-BDS2	2"
02-BDS3	3"
02-BDS4	4"
02-BDS5	5"
02-BDS6	6"
02-BDS8	8"

**MISCELLANEOUS PARTS****SLEEVE CASTING**

<u>Part</u>	<u>Size</u>
02-SLEEVE2	2"
02-SLEEVE3	3"
02-SLEEVE4	4"
02-SLEEVE5	5"
02-SLEEVE6	6"
02-SLEEVE8	8"

**INTAKE COUPLER BOLT, NUT & WASHER**

<u>Part</u>	<u>Size</u>
02-CB	All Sizes

**FLANGE BOLT, NUT & WASHER**

<u>Part</u>	<u>Size</u>
02-FB	All Sizes

**FV SCREEN BOLT & NUT**

<u>Part</u>	<u>Size</u>
02-SBV2	2"
02-SBV3	3"
02-SBV4	4"
02-SBV5	5"
02-SBV6	6"
02-SBV8	8"

**NELSON BIG GUNS**

*For Pivots, Travelers & Solid Sets*

<u>Applications</u>	<u>Models Available</u>	<u>Part #</u>
Irrigation	SR75	10-SR75-24
Waste Water	SR100	10-SR100-24
Pastures	SR150	10-SR150-24
Dust Control	SR200	10-SR200-24
Lumber	(All guns listed above are 24 Degree Trajectory)	
Mining	SR200 (27 Degree)	10-SR200-27
Arena & Sports Fields		

Please specify the following when ordering a Nelson Big Gun:  
Model #, Trajectory, Connection Size & Type and Nozzle Size & Type.

**NELSON BIG GUN NOZZLES**Taper Ring Nozzle Sets

10-TR75 (size-Taper Ring Only)

10-100TR (size)

10-150TR (size)

Not available for SR200

Set includes Cap, Body &amp; One Taper Ring

Taper Bore Nozzles

Not available for SR75

10-100T (size)

10-150T (size)

10-200T (size)



Taper Bore Nozzle

Ring Nozzle Sets

Not available for SR75

10-100R

10-150R

10-200R



Set includes Cap, Body &amp; Seven Rings

**KOMET TWIN BIG VOLUME GUNS**

*For Pivots, Travelers & Solid Sets*



<u>Applications</u>	<u>Models Available</u>	<u>Part #</u>
Irrigation	Twin Max PC-24	38-05010037
Waste Water	Twin 101 Ultra PC-24	38-05010279
Pastures	Twin 140 Ultra PC-24	38-05010254
Dust Control	Twin 160 Ultra PC-24	38-05010255
Lumber	Twin 202 Ultra PC-24	38-05010256
Mining	(All guns listed above are 24 Degree Trajectory)	
Arena & Sports Fields		

\*\*\*\*\* We also stock nozzles and replacement parts for the older Komet Pro and Plus Models \*\*\*\*\*

**KOMET TAPER BORE NOZZLES**Model

Twin Max Nozzles

Twin 101 Ultra Nozzles

Twin 140 Ultra Nozzles

Twin 160 Ultra Nozzles

Twin 202 Ultra Nozzles

Nozzle Range

.39" - .94"

.47" - 1.10"

.63" - 1.34"

.71" - 1.50"

.87" - 1.77"

Nozzle Range

10mm - 24mm

12mm - 28mm

16mm - 34mm

18mm - 38mm

22mm - 45mm

**WEBSTERMATIC QUICK-COUPLING RISER VALVES****Part #**      **Description**

33-6-100-AG	Supports 6' riser of 1" pipe/Threads are 1" external
33-10-100-AG	Supports 10' riser of 1" pipe/Threads are 1" internal.
33-6-100-LAWN	Supports 6' riser of 1" pipe/Threads are 1" external. Includes cover.



6-100-LAWN / 6-100-AG

Note: Other sizes and models are available upon request.

**LIQUID FILLED  
PSI GAUGES****Part #**      **PSI**

111-LPG060	0-60
111-LPG100	0-100
111-LPG160	0-160
111-LPG200	0-200
111-LPG300	0-300

**PIPE  
PLUGS****Part #**      **Size**

08-MFT-PL0-500	1/2"
08-MFT-PL0-750	3/4"
08-MFT-PL1-000	1"

**PIPE  
COUPLINGS****Part #**      **Size**

08-MFT-SL0-500	1/2"
08-MFT-SL0-750	3/4"
08-MFT-SL1-000	1"

**BELL  
REDUCERS****Part #**      **Size**

08-MFT-BE3-150	3/4" x 1/2"
08-MFT-BE1-150	1" x 1/2"
08-MFT-BE1-750	1" x 3/4"
08-MFT-BE1-210	1-1/4" x 1"

**BUSHINGS****Part #**      **Size**

08-MFT-BU3-150	3/4" x 1/2"
08-MFT-BU1-150	1" x 1/2"
08-MFT-BU1-750	1" x 3/4"
08-MFT-BU1-210	1-1/4" x 1"

**WHIZ HEAD ROTARY SPRINKLER - Model # 1973****Features:**

- Ideal for riser installation in planting areas.
- 1/2" female threaded inlet.
- Made of high-impact corrosion-resistant plastic.
- Stainless steel bearing and large orifice nozzle.



Whiz Head Performance		
PSI	GPM	Diameter
30	3.4	40"
40	3.9	40"
50	4.4	40"

**WADE RAIN BRASS SPRINKLERS**

WR-33      WR-35

- All sprinklers are double-nozzled.
- Nozzles are sold separately.
- Choice of various nozzles includes: range nozzles, spreader nozzles and spreader nozzle plugs.

**RAINBIRD SPRINKLERS**

These sprinklers are designed for a wide variety of applications such as pastures, dust control, solid set for sod farms, frost protection, vegetable crops, overtree and undertree systems and many more.



30H




80EHD

**BRASS FULL CIRCLE SPRINKLERS**

Model #	Description
14VH	1/2" Bearing
20JH	1/2" Bearing
30H	3/4" Bearing
14070	3/4" Bearing
70	1" Bearing
80EHD	1 1/4" Bearing



85EHD



2045-PJ Maxi-Bird

**BRASS PART CIRCLE SPRINKLERS**

Model #	Description
Maxi-Bird (Plastic)	1/2" Bearing
25BPJ	1/2" Bearing
35A-TNT	3/4" Bearing
65PJ	1" Bearing
85EHD	1 1/4" Bearing



## FRANK W. MURPHY SAFETY GAUGES

Murphy Gauges are the result of years of human experience, skill and pride. A strong quality assurance plan involving an inspection team, skilled workers and you, provides the positive control and action needed for the high standards Murphy sets and you expect. From incoming materials, to blueprints, line assembly, final packaging and shipping: quality is assured...it's built into every instrument.



### LOW PSI SAFETY GAUGE



<u>Part #</u>	<u>Description</u>
06-20P7-075	0-75 Low PSI
06-20P7-100	0-100 Low PSI
06-20P7-150	0-150 Low PSI
06-20P7-200	0-200 Low PSI
06-20P7-300	0-300 Low PSI

### HI-LO PSI SAFETY GAUGE



<u>Part #</u>	<u>Description</u>
06-20P7-HL150	0-150 Hi/Lo PSI
06-20P7-HL200	0-200 Hi/Lo PSI

### FUEL SHUT-OFF VALVE



<u>Part #</u>	<u>Description</u>
06-SV12	12V Solenoid Valve
06-SV24	24V Solenoid Valve

### LOW / HIGH PSI GAUGE



<u>Part #</u>	<u>Size</u>
06-OPLC-100	0-100 Low/Hi PSI
06-OPLC-200	0-200 Low/Hi PSI
06-OPLC-300	0-300 Low/Hi PSI
06-PD-8183	Pulsation Dampener for OPL Gauges

### TIME SWITCHES



<u>Part #</u>	<u>Size</u>
06-12T	0-12 Hour Timer (15 Minute Intervals)
06-24T	0-24 Hour Timer (30 Minute Intervals)

### MAGNETIC SWITCHES



<u>Part #</u>	<u>Description</u>
06-117	Magnetic Switch
06-518APH	Magnetic Switch
06-822PH	Magnetic Switch

### TEMPERATURE SAFETY GAUGE



<u>Part #</u>	<u>Description</u>
06-20T	Water Temp Gauge
06-20TH-320-4-M10	Air Temp Gauge

(Temperature gauges include 4.5' capillary tube.)

### ENGINE PANELS



<u>Part #</u>	<u>Description</u>
06-75160	Gas Panel (Oil, Water, Pump)
06-WD300LV	Diesel Panel (Oil, Water, Pump)

### LIQUID-FILLED PSI GAUGE GLYCERINE-FILLED FOR LONG LIFE



<u>Part #</u>	<u>Description</u>
111-LPG030	0-30 PSI
111-LPG060	0-60 PSI
111-LPG100	0-100 PSI
111-LPG160	0-160 PSI
111-LPG200	0-200 PSI
111-LPG300	0-300 PSI





### ENGINE OIL PRESSURE GAUGE

NO RESET BUTTON



<u>Part #</u>	<u>Description</u>
06-A20P7-150	150 PSI

**OTHER CONTROL AND  
INSTRUMENT SOLUTIONS  
AVAILABLE UPON REQUEST.**

<b>CHAMPION</b>	<b>FELTON/KROY</b>	<b>RAINWAY/ REDI-RAIN</b>	<b>GHEEN</b>
Cross Section 	Cross Section 	Cross Section 	Cross Section 
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
13-100565	2"	13-101145	2"
13-100570	3"	13-101150	3"
13-100575	4"	13-101175	4"
13-100600	5"	13-101180	5"
13-100625	6"	13-101200	6"
13-100630	8"	13-101225	8"
<b>PIERCE</b>	<b>RAIN CONTROL</b>	<b>SHUR-RANE (NEW STYLE)</b>	<b>SHUR-RANE (OLD STYLE)</b>
Cross Section 	Cross Section 	Cross Section 	Cross Section 
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
13-103350	2"	13-103749	2"
13-103375	3"	13-103750	3"
13-103400	4"	13-103751	4"
13-103425	5"	13-103752	5"
13-103450	6"	13-103753	6"
13-103525	8"		
<b>RAVIT</b>	<b>WADE</b>	<b>WESTERN</b>	<b>3/8" O-RINGS</b>
Cross Section 	Cross Section 	Cross Section 	Cross Section 
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
13-103842	2"	13-106475	2"
13-103843	3"	13-106500	3"
13-103844	4"	13-106525	4"
13-103846	6"	13-106550	5"
		13-106575	6"
		13-106625	8"
<b>HASTINGS</b>	<b>McDOWELL SPRING</b>	<b>McDOWELL</b>	<b>RAINBOW</b>
Cross Section 	Cross Section 	Cross Section 	Cross Section 
<b>Part #</b>	<b>Size</b>	<b>Part #</b>	<b>Size</b>
13-102190	6"	109-446-20	2"
13-102191	8"	109-446-30	3"
		109-446-40	4"
		109-446-60	6"

**Additional styles and sizes are available upon request.**

Large orders may qualify for special discount pricing.

Please call for more information or visit our online store @ [www.IrrigationSupplyParts.com](http://www.IrrigationSupplyParts.com).

**45° ELBOW**

<u>Part #</u>	<u>Size</u>
77-ZMG-L4507	1.5"
77-ZMG-L4508	2"
77-ZMG-L4510	3"
77-ZMG-L4511	4"
77-ZMG-L4513	6"

**90° ELBOW**

<u>Part #</u>	<u>Size</u>
77-ZMG-L9007	1.5"
77-ZMG-L9008	2"
77-ZMG-L9010	3"
77-ZMG-L9011	4"
77-ZMG-L9013	6"

**TEE**

<u>Part #</u>	<u>Size</u>
77-ZMG-T07	1.5"
77-ZMG-T08	2"
77-ZMG-T10	3"
77-ZMG-T11	4"
77-ZMG-T13	6"

**45° STREET  
ELBOW**

<u>Part #</u>	<u>Size</u>
77-ZMG-LST4507	1.5"
77-ZMG-LST4508	2"
77-ZMG-LST4510	3"
77-ZMG-LST4511	4"

**90° STREET  
ELBOW**

<u>Part #</u>	<u>Size</u>
77-ZMG-LST9007	1.5"
77-ZMG-LST9008	2"
77-ZMG-LST9010	3"
77-ZMG-LST9011	4"

**COUPLING**

<u>Part #</u>	<u>Size</u>
77-ZMG-CP07	1.5"
77-ZMG-CP08	2"
77-ZMG-CP10	3"
77-ZMG-CP11	4"
77-ZMG-CP13	6"

**PLUG**

<u>Part #</u>	<u>Size</u>
77-ZMG-PL07	1.5"
77-ZMG-PL08	2"
77-ZMG-PL10	3"
77-ZMG-PL11	4"
77-ZMG-PL13	6"

**BUSHING**

<u>Part #</u>	<u>Size</u>
77-ZMG-BU0805	2" x 1"
77-ZMG-BU0908	2.5" x 2"
77-ZMG-BU1008	3" x 2"
77-ZMG-BU1108	4" x 2"
77-ZMG-BU1110	4" x 3"

**REDUCING  
COUPLING**

<u>Part #</u>	<u>Size</u>
77-ZMG-CPR0805	2" x 1"
77-ZMG-CPR0908	2.5" x 2"
77-ZMG-CPR1008	3" x 2"
77-ZMG-CPR1108	4" x 2"
77-ZMG-CPR1110	4" x 3"

**CAP**

<u>Part #</u>	<u>Size</u>
77-ZMG-CA07	1.5"
77-ZMG-CA08	2"
77-ZMG-CA10	3"
77-ZMG-CA11	4"
77-ZMG-CA13	6"

**THREADED HALF  
COUPLING (STEEL)**

<u>Part #</u>	<u>Size</u>
03-P2062-09	2"
03-P2062-10	2 1/2"
03-P2062-11	3"
03-P2062-12	4"
03-P2062-13	5"
03-P2062-14	6"

**UNION**

<u>Part #</u>	<u>Size</u>
77-ZMG-UN07	1.5"
77-ZMG-UN08	2"
77-ZMG-UN10	3"
77-ZMG-UN11	4"

**STEEL  
TOE NIPPLE**

<u>Part #</u>	<u>Size</u>
03-P2127-15	1.5"
03-P2127-16	2"
03-P2127-24	3"
03-P2127-29	4"
03-P2127-35	6"
03-P2127-37	8"

**STEEL  
CLOSE NIPPLE**

<u>Part #</u>	<u>Size</u>
77-ZNB-07CL	1.5"
77-ZNB-08CL	2"
77-ZNB-10CL	3"
77-ZNB-11CL	4"
77-ZNB-13CL	6"
77-ZNB-15CL	8"

**STEEL  
PLATED NIPPLE**

<u>Part #</u>	<u>Size</u>
45-SPN150	1.5"
45-SPN200	2"
45-SPN300	3"
45-SPN400	4"
45-SPN600	6"
45-SPN800	8"

<b>GALV RISER &amp; VALVE STUB</b>	
<b>Standard Tee Riser (MxF)</b>	
<b>Part #</b>	<b>Size</b>
03-P3828-06	4x4x4x42
03-P3829-06	6x6x4x42
03-P1239-26	6x6x6x42
03-P0008-33	8x8x6x42
<b>End Riser</b> (Cap End w/o Air Relief)	
<b>Part #</b>	<b>Size</b>
03-P1252-26	4x4x42
03-P1254-26	6x4x42
03-P1255-26	6x6x42
03-P1257-26	8x6x42

<b>GALV RISER &amp; VALVE STUB</b>	
<b>Standard Tee Riser (FxF)</b>	
<b>Part #</b>	<b>Size</b>
03-P1220-26	4x4x4x42
03-P1223-26	6x6x4x42
03-P1224-26	6x6x6x42
03-P1227-26	8x8x6x42
<b>End Riser</b> (Cap End w/ 2" Air Relief)	
<b>Part #</b>	<b>Size</b>
03-P3345-25	4x4x42
03-P3395-25	6x4x42
03-P3341-26	6x6x42
03-P3340-26	8x6x42

<b>GALVANIZED ZEE</b>	
<b>Plain Top End</b>	
<b>Part #</b>	<b>Size</b>
03-P0114-93	4" x 52"
03-P0082-35	6" x 52"
<b>Flanged Top End</b>	
<b>Part #</b>	<b>Size</b>
03-P3735-01	4" x 52"
03-P3735-03	6" x 52"
03-P3735-04	8" x 52"

<b>STRAIGHT TEE</b>	
<b>Part</b>	<b>Size</b>
03-P1457-29	4"
03-P1459-27	6"
03-P1459-33	8"

<b>END PLUG</b>	
<b>Part</b>	<b>Size</b>
03-P1584-14	4"
03-P1584-16	6"
03-P1584-17	8"

<b>END CAP</b>	
<b>Part</b>	<b>Size</b>
03-P1588-14	4"
03-P1588-16	6"
03-P1588-17	8"

<b>CROSS</b>	
<b>Part #</b>	<b>Size</b>
03-P1495-21	4"
03-P1497-29	6"
03-P1497-32	8"

<b>WELD-ON START COUPLER</b>	
<b>Part</b>	<b>Size</b>
03-P1001-24	4"
03-P1001-26	6"
03-P1001-27	8"

<b>FLANGE ADAPTER</b>	
<b>Part #</b>	<b>Size</b>
03-P1143-94	4"
03-P1143-96	6"
03-P1143-97	8"

<b>45° ELBOW</b>	
<b>Part</b>	<b>Size</b>
03-P1553-14	4"
03-P1555-21	6"
03-P1555-22	8"

<b>90° ELBOW</b>	
<b>Part #</b>	<b>Size</b>
03-P1552-14	4"
03-P1554-21	6"
03-P1554-22	8"

<b>REPAIR COUPLER</b>	
<b>Part</b>	<b>Size</b>
03-P1578-21	4"
03-P1578-22	6"
03-P1578-23	8"


<b>COMPRESSION GASKETS - PVC</b>	
<b>Part #</b>	<b>Size</b>
03-P1603-01	4"
03-P1605-01	6"
03-P1606-01	8"

<b>REDUCER (FxF)</b>	
<b>Part #</b>	<b>Size</b>
03-P1527-28	6"x4"
03-P1527-30	8"x6"
03-P1527-31	10"x8"

<b>AIR VENT</b>	
<b>Part #</b>	<b>Size</b>
03-F030-20003	2"

### THRUST-BLOCKING PVC PIPE

- Water under pressure exerts thrust forces in piping systems at: changes in pipe size or direction, dead ends and valves.
  - The design of thrust-blocking requires knowledge of the thrust generated and the bearing strength of the soil against which the thrust block will be placed.
  - To be effective, a thrust block must:**
    - be placed against undisturbed or fully compacted earth
    - contact the fitting over a sufficiently large area so as not to create stress points on the fitting
    - have sufficient area on the soil to restrain the thrust without exceeding the bearing strength of the soil
- NOTES: 1) Supply line 3" in diameter and larger shall receive concrete thrust blocks.  
2) See specifications for amount of concrete to be used for thrust block.



<b>CAP (SOCKET)</b>	
Part #	Size
26-447-007	3/4"
26-447-101	1"
26-447-020	2"
26-447-030	3"
26-447-040	4"
26-447-060	6"

<b>CAP (FIPT)</b>	
Part #	Size
26-448-007	3/4"
26-448-101	1"
26-448-020	2"
26-448-030	3"
26-448-040	4"
26-448-060	6"

<b>PLUG (SOCKET)</b>	
Part #	Size
26-449-007	3/4"
26-449-101	1"
26-449-020	2"
26-449-030	3"
26-449-040	4"
26-449-060	6"

<b>PLUG (MIPT)</b>	
Part #	Size
26-450-007	3/4"
26-450-101	1"
26-450-020	2"
26-450-030	3"
26-450-040	4"
26-450-060	6"

<b>COUPLING (SOCKET x SOCKET)</b>	
Part #	Size
26-429-007	3/4"
26-429-010	1"
26-429-020	2"
26-429-030	3"
26-429-040	4"
26-429-060	6"

<b>FEMALE ADAPTER (FIPT x SOCKET)</b>	
Part #	Size
26-435-007	3/4"
26-435-010	1"
26-435-020	2"
26-435-030	3"
26-435-040	4"
26-435-060	6"

<b>MALE ADAPTER (MIPT x SOCKET)</b>	
Part #	Size
26-436-007	3/4"
26-436-010	1"
26-436-020	2"
26-436-030	3"
26-436-040	4"
26-436-060	6"

***** Additional combinations and sizes available. Please call for more details. *****
---

<b>90° ELBOW (SOCKET x SOCKET)</b>	
Part #	Size
26-406-007	3/4"
26-406-010	1"
26-406-020	2"
26-406-030	3"
26-406-040	4"
26-406-060	6"

<b>90° ELBOW (FIPT x FIPT)</b>	
Part #	Size
26-408-005	1/2"
26-408-007	3/4"
26-408-010	1"
26-408-012	1 1/4"
26-408-015	1 1/2"
26-408-020	2"

<b>REDUCING BUSHING (SOCKET x SOCKET)</b>	
Part #	Size
26-437-249	2" x 1"
26-437-338	3" x 2"
26-437-422	4" x 3"
26-437-530	6" x 3"
26-437-532	6" x 4"
26-437-585	8" x 6"

<b>REDUCING BUSHING (SOCKET x FIPT)</b>	
Part #	Size
26-438-248	2" x 3/4"
26-438-338	3" x 2"
26-438-420	4" x 2"
26-438-422	4" x 3"
26-438-530	6" x 3"
26-438-532	6" x 4"

<b>REDUCING BUSHING (MIPT x FIPT)</b>	
Part #	Size
26-439-072	1/2" x 1/4"
26-439-098	3/4" x 1/4"
26-439-101	3/4" x 1/2"
26-439-249	2" x 1"
26-439-292	2 1/2" x 2"
26-439-338	3" x 2"

<b>90° ELBOW COMBINATION (SOCKET x FIPT)</b>	
Part #	Size
26-407-005	1/2"
26-407-007	3/4"
26-407-010	1"
26-407-012	1 1/4"
26-407-015	1 1/2"
26-407-020	2"

<b>45° ELBOW (SOCKET x SOCKET)</b>	
Part #	Size
26-417-010	1"
26-417-015	1 1/2"
26-417-020	2"
26-417-025	2 1/2"
26-417-030	3"
26-417-040	4"
26-417-060	6"

<b>CROSS (SOCKET)</b>	
Part #	Size
26-420-010	1"
26-420-020	2"
26-420-030	3"

<b>COUPLING (FIPT x FIPT)</b>	
Part #	Size
26-430-005	1/2"
26-430-007	3/4"
26-430-010	1"

<b>STREET 90° ELBOW (SOCKET x SPIGOT)</b>	
Part #	Size
26-409-007	3/4"
26-409-010	1"
26-409-020	2"

<b>STREET 90° ELBOW (FIPT x MIPT)</b>	
Part #	Size
26-412-007	3/4"
26-412-010	1"
26-412-020	2"

<b>TEE-REDUCING (SLIP x SLIP x SLIP)</b>	
Part #	Size
26-401-249	2"x2"x1"
26-401-338	3"x3"x2"
26-401-422	4"x4"x3"
26-401-528	6"x6"x2"
26-401-530	6"x6"x3"
26-401-532	6"x6"x4"

<b>COMBO TEE REDUCING (SLIP x SLIP x FPT)</b>	
Part #	Size
26-402-247	2"x2"x1/2"
26-402-249	2"x2"x1"
26-402-335	3"x3"x1"
26-402-417	4"x4"x1"
26-402-420	4"x4"x2"
26-402-422	4"x4"x3"

<b>ALL-PURPOSE CEMENT Medium Body</b>	
Part #	Size
26-PVC05C-030	Quart

<b>THREAD SEALANT Blue 75</b>	
Part #	Size
26-SB75-030	Quart

<b>ALL-PURPOSE CLEANER Purple Primer</b>	
Part #	Size
26-PRIM70P-030	Quart

<b>PVC TEE</b> (INSERT x INSERT x INSERT) 	<b>PVC TEE</b> (INSERT x INSERT x FIPT) 	<b>PVC TEE</b> (INSERT x INSERT x MIPT) 	<b>PVC PLUG</b> (INSERT) 	<b>PVC COUPLING</b> (INSERT x INSERT) 	
Part #	Size	Part #	Size	Part #	
26-1401-005	1/2"	26-1402-005	1/2"	26-1403-005	1/2"
26-1401-007	3/4"	26-1402-007	3/4"	26-1403-007	3/4"
26-1401-010	1"	26-1402-010	1"	26-1403-010	1"
26-1401-015	1 1/2"	26-1402-015	1 1/2"	26-1403-015	1 1/2"
26-1401-020	2"	26-1402-020	2"	26-1403-020	2"
<b>PVC REDUCING 90° ELBOW</b> (INSERT x FIPT) 	<b>PVC 90° ELBOW</b> (INSERT x INSERT) 	<b>PVC MALE ADAPTER</b> (MIPT x INSERT) 	<b>PVC FEMALE ADAPTER</b> (FIPT x INSERT) 	<b>PVC REDUCING COUPLING</b> (INSERT x INSERT) 	
Part #	Size	Part #	Size	Part #	
26-1407-074	1/2"	26-1406-010	1"	26-1429-005	1/2"
26-1407-101	3/4"	26-1406-012	1 1/4"	26-1429-007	3/4"
26-1407-130	1"	26-1406-015	1 1/2"	26-1429-010	1"
26-1407-131	1 1/4"	26-1406-020	2"	26-1429-012	1 1/4"
26-1407-166	1 1/2"	26-1406-030	3"	26-1429-015	1 1/2"
<b>PVC 90° ELBOW</b> (INSERT x FIPT) 	<b>PVC 90° ELBOW</b> (INSERT x MIPT) 	<b>PVC REDUCING 90° ELBOW</b> (INSERT x MIPT) 	<b>PVC REDUCING MALE ADAPTER</b> (MIPT x INSERT) 	<b>WHITE PVC INSERT ADAPTER</b> (INSERT x IPS SPIGOT) 	
Part #	Size	Part #	Size	Part #	
26-1407-005	1/2"	26-1413-005	1/2"	26-1436-102	3/4"x1"
26-1407-007	3/4"	26-1413-007	3/4"	26-1436-133	1"x1 1/2"
26-1407-010	1"	26-1413-010	1"	26-1436-251	2"x1 1/2"
26-1407-012	1 1/4"	26-1413-012	1 1/4"		
26-1407-015	1 1/2"	26-1413-015	1 1/2"		

\*\*\*\*\*  
ADDITIONAL COMBINATIONS & SIZES AVAILABLE. PLEASE CALL FOR MORE DETAILS.  
\*\*\*\*\*

<b>PVC REDUCING TEE</b> (INSERT x INSERT x INSERT) 	<b>PVC REDUCING TEE</b> (INSERT x INSERT x FIPT) 	<b>PVC REDUCING TEE</b> (INSERT x INSERT x MIPT) 	<b>WHITE PVC INSERT ADAPTER</b> (INSERT x SOCKET) 
Part #	Size	Part #	Size
26-1401-130	1" x 1" x 1/2"	26-1402-166	1 1/4" x 1 1/4" x 1/2"
26-1401-210	1 1/2" x 1 1/2" x 3/4"	26-1402-211	1 1/2" x 1 1/4" x 1"
26-1401-247	2" x 2" x 1/2"	26-1402-247	2" x 2" x 1/2"
26-1401-249	2" x 2" x 1"	26-1402-249	2" x 2" x 1"
26-1401-251	2" x 2" x 1 1/2"	26-1402-251	2" x 2" x 1 1/2"

### PVC SCHEDULE 80 NIPPLE (THREADED BOTH ENDS)

Nipple Diameter	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	6"	8"
Diameter Code	882	883	884	885	886	887	888	889	890	892	893
Nipple Length Code											
Close	-005										
2"	-020						N/A	N/A	N/A	N/A	N/A
3"	-030								N/A	N/A	N/A
4"	-040									N/A	N/A
6"	-060						XX				
8"	-080										
10"	-100										

Example: 887-060 is the part # for XX.

## TUBING FOR IRRIGATION, INDUSTRY AND CONSTRUCTION




manufactured by

**Hastings Irrigation Pipe Company**

Aluminum Tubing is available in either coupled or bare pieces. Length options are 20', 30' or 40' as well as a wide variety of widths.

Custom sizes are also available.



Call today for prices and availability on the aluminum tubing and PVC configurations that meet your irrigation needs!

A wide selection of USED and RECONDITIONED aluminum tubing is also available.



### PVC PIPE

PVC pipe is tough, resilient, corrosion resistant inside and out, easy to handle and lasts longer than most other piping materials. It is ideal for almost any underground pipe application, such as rural water, agricultural and turf irrigation pipelines. The pressure rating of pipe - 100 psi through 200 psi indicates the maximum allowable sustained pressure with a long-term 2 to 1 safety factor. Most sizes can be handled manually, so there is no need for costly installation equipment. A trencher or backhoe are used for excavating and backfilling only, as the pipe can be slid together by hand, quickly and quite easily. PVC pipe can be curved slightly to eliminate many corners that would otherwise require elbows and thrust blocks.

\*\*\*\*\*  
***We stock several styles of fittings for both aluminum tubing and PVC Pipe:***

Aluminum Tubing Fittings - See Page 25

Steel Fittings for PVC (IPS) - See Page 37

Schedule 40 PVC Pipe Fittings - See Page 38

PVC Insert Fittings - See Page 39

## *Irrigation Worksheet*

Name \_\_\_\_\_

**F. If Expanding, List Present Equipment**

Address \_\_\_\_\_

\_\_\_\_\_

City \_\_\_\_\_

\_\_\_\_\_

Phone # \_\_\_\_\_

\_\_\_\_\_

Fax # \_\_\_\_\_

\_\_\_\_\_

E-Mail \_\_\_\_\_

\_\_\_\_\_

Best Time to Call \_\_\_\_\_

\_\_\_\_\_

 New System       Expansion
**A. Irrigation Application**

- Livestock Waste
- Municipal Waste
- Athletic Fields
- Golf
- Nursery
- Pasture
- Dust Control
- Produce
- Grain
- Other \_\_\_\_\_

**B. Type of Irrigation Equipment Needed**

- Drip       Traveling Gun
- Pivot       Wheel Line
- Solid Set

**C. Source of Water**

- Well       Creek
- River       Lagoon
- Pond

**D. Type of Pump Required**

- Diesel
- PTO
- Tractor HP Available  PTO PRM 1000  540
- Propane
- Electric - Single Phase  3 Phase
- Submersible
- Gas

**E. Frost Protection Required**

- Yes       No

**G. Comments Pertaining to Existing Equipment**

\_\_\_\_\_

\_\_\_\_\_

**H. Financial Information**

1. Budget for Project \_\_\_\_\_

2. Type of Finance  Lease     Rent     Cash3. Have you leased in the past     yes     no

If so, with which company \_\_\_\_\_

**I. Briefly Describe Irrigation Site**

1. Soil Type \_\_\_\_\_

2. Terrain Elevation \_\_\_\_\_

3. Water Source Location / Distance \_\_\_\_\_

\_\_\_\_\_

4. Row Width \_\_\_\_\_ Row Length \_\_\_\_\_

5. Plant Spacing In Row \_\_\_\_\_

6. Row Direction (in relation to N-S-E-W) \_\_\_\_\_

7. Acres Planning to Irrigate \_\_\_\_\_

8. Future Acres Expansion Projects \_\_\_\_\_

J. If possible, please send aerial photo with correct scale or include a sketch of the area you wish to have a system designed for.

Please mail or fax completed Irrigation Worksheet to:

**Triple K Irrigation Inc**

12930 Ingall Highway

Morenci, MI 49256

Fax # (517)458-6541




# Irri-Gator

**Drip Irrigation For Your Garden!**

- Uses up to 75% less water
- Eliminates leaf wetness
- Water goes directly to the root zone
- Reduces plant disease

## Gator Kit Sample Layout




Gator 100 Kit: Fits a vegetable garden with 4 - 22' rows spaced up to 4' apart, or a flower bed of up to 200 square feet.

Gator 250 Kit: Fits a vegetable garden with 6 - 38' rows spaced up to 4' apart, or a flower bed of up to 500 square feet.

Gator 1000 Kit: Fits a vegetable garden with 10 - 100' rows spaced up to 5' apart, or a flower bed of up to 2,000 sq feet.

### Irri-Gator Garden Kits Contain:

Description	Gator 100	Gator 250	Gator 1000
Drip Tubing (12" spacing)	100'	250'	1,000'
Distribution Tubing (no orifices)	-	-	50'
Perma-Loc Tee	3	5	8
Perma-Loc Elbow	1	1	2
Perma-Loc Coupling	-	1	2
Regulator/Screen Assembly	1	1	-
Regulator/Tee Screen Assembly	-	-	1
Installation Instruction Sheet	1	1	1



Please visit our on-line store at [www.GardensGrownRight.com](http://www.GardensGrownRight.com) to:

- View an instructional video which demonstrates the simplicity of installing our Irri-Gator Drip Irrigation Kits
- Learn more information about the benefits of drip irrigation
- Purchase a variety of gardening tools in addition to our Irri-Gator Drip Irrigation Kits and Accessories
- Access a printable copy of our Irrigation Worksheet in PDF format to allow us to assist you in designing your drip system when customization is necessary.

### BLUE-WHITE'S DIGI-FLO® F-1000

Battery Powered Model F-1000 Benefits Include:

- Easy to read 6-digit LCD display
- Installs quickly on existing pipe
- Factory calibrated, nothing to program
- No pressure drop
- Weather resistant ABS enclosure
- Corrosion resistant PVDF sensor
- Excellent accuracy
- Large calibrated flow range
- Minimal maintenance required
- Flow ranges: 15-4000 gpm
- Sizes: 1-1/2" - 8"



The carefully engineered DIGI-FLO® F-1000 Series provide the performance and features of electronic meters without the need for a electrical hook-up.

*Three versions of this terrific meter are offered:*

- 1) The F-1000RB is a battery powered rate meter.
- 2) The F-1000TB is a battery powered flow totalizer.
- 3) The F-1000RT is a battery powered rate meter and flow totalizer.

Two standard AAA batteries with a minimum life of one year power each of these units.

\*\*\*Additional meters are available upon request\*\*\*

### BLUE-WHITE'S F-300 SERIES FLOWMETER

- Determine Circulation System flow rate in seconds
- Installs quickly
- One piece machined acrylic meter body - polished to a clear finish
- Easy to read, high resolution dual scale, permanently printed
- Read flow from either side of the meter body
- Ships complete with gasket seal and mounting clamps

#### F-300 Specifications

Max. Working Pressure: 75 PSI @ 70°F

Meter Body Material: Acrylic

Connection Type: Saddle

Max. Fluid Temperature: 190°F @ 0 PSI

Gasket Material: Neoprene

Float Material: 316 SS



### FLOMEC'S QS200 INSERTION ULTRASONIC FLOWMETER

The QS200 Insertion Ultrasonic Flowmeter provides an accurate reading of liquid flow rate and accumulated flow. Designed to support commercial irrigation applications, the QS200 is available in five pipe sizes, 1 to 4 in. The QS200 ultrasonic insert is available with a PVC tee or as an "insert retrofit" for replacement of existing paddlewheel flow sensors.

#### QS200 Ultrasonic Specifications

Designed for above and below grade applications, such as irrigation, municipal and underground monitoring where the flow rates are between 0.1 to 15 fps (0.03 to 4.57 m/s) and temperatures are below 140°F. QS200 inserts are supplied with two single conductors, 18 AWG solid copper wire leads that are 36 inches in length with UL Style 116666 direct burial insulation.



### MAZZEI INJECTOR

Mazzei Injectors are high efficiency Venturi-type differential pressure injectors. A pressure difference between the inlet and outlet of the injector creates a vacuum inside the body, which results in suction through the suction port. The suction can be used to inject and mix fertilizers and water treatment chemicals into the water. Mazzei injectors not only are trouble-free because there are no moving parts, but also have long life because they are molded from chemical resistant polypropylene or PVDF.

Sizes range from 1/2" thru 4".

### DOSATRON FERTILIZER INJECTOR


Dosatron fertilizer injectors can be used in a variety of installations and configurations. Mount them on booms or bences. increase your flow with parallel installations, or inject multiple nutrients with series installations.

- Aquaponics
- Indoor Farming and Agriculture
- Stacked Farming
- Urban Gardening and Farming
- Drain-to-Waste



Part #	Connection Size	Flow	Dilution	OPR
148-D14MZ2VFII	3/4" NPT	0.05 to 14 GPM	.2% to 2%	4.3 to 85 PSI
148-D25F1VFII	3/4" NPT	0.05 to 11 GPM	1%	4.3 to 85 PSI
148-D8RE2	1 1/2" NPT	2.2 to 40 GPM	.2% to 2%	2.2 to 116 PSI
148-D45RE15	1" NPT	0.4 to 20 GPM	.2% to 1.5%	7 to 70 PSI

#### Typical Installation



**Please call for more product information, pricing and availability on any products listed in this catalog.**


## FLOW-GUARD VERTICAL SAND MEDIA FILTERS

Flow-Guard Media Filters provide outstanding filtration of both organic and inorganic materials found within common irrigation waters. Due to their ability to filter a wide variety of contaminants to very low levels, Flow-Guard Media Filters are widely used as primary filtration systems in drip and micro-irrigation systems all over the world.

As source water passes through a sand media filter, a wide variety of both organic and inorganic materials are captured in the media bed while allowing the now filtered water to pass through.



Media comes in a variety of types and sizes.



Depending on the media used, irrigation water from virtually any source can be filtered effectively. Backwashing or Backflushing refers to the removal of captured materials that have been effectively filtered out of the original source water. When the filtering media has captured enough material to cause the pressure differential between the inlet and the outlet of the filter to reach a predetermined level (or at specific timed intervals) the flow of water is reversed through the sand bed and the captured material is flushed out.

## AMIAD FILTERS

Amiad offers a wide range of plastic and steel filters from 3/4" to 14". Interchangeable filter elements will suit specific needs depending upon flowrates, filtration degrees and applications. Simple and easy maintenance. All filter elements are extractable for cleaning. Minimal head loss even at high flow rates.



Scanaway Assembly

Brushaway Assembly

## AMIAD MINI SIGMA AUTOMATIC SELF CLEANING FILTER

The flush valve opens to atmosphere creating a strong suction force at the scanner nozzles, effectively removing dirt particles from the screen and discharging them from the filter.

Part #	Size/Max Flow
133-055000-000002	2" for up to 110 GPM
133-055001-000003	3" for up to 220 GPM
133-055002-000018	4" for up to 352 GPM




JAIN

Spin Clean® filters are unique in that incoming dirty water is forced through a directional nozzle plate onto the inside of the stainless steel screen. This creates a centrifugal action which rotates debris down the screen wall to the large holding basin. Debris is flushed out via a ball valve or unscrewing cap. Spinning action keeps more of the screen area clean, minimizing pressure losses caused by excessive dirt build-up. For optimum self-cleaning action, Spin Clean® filters should be operated at a flow rate that will create a 5 to 8 psi pressure drop across the filter.

## PLASTIC SPIN CLEAN® SCREEN FILTERS (MPT w/ MPT Ball Valve)

Part #	Description	Max Flow
50-72130116	3/4" WYE 4EH Screen Filter	9 GPM
50-72130207	1" WYE 4EH Screen Filter	18 GPM
50-72130091	1 1/2" WYE 4EH Screen Filter	55 GPM
50-72130106	2" WYE 4EH Screen Filter	110 GPM

Note: These filters are available in 50, 100 and 150 mesh. Please specify when ordering. Part #'s above are for 150 mesh.



**The ADI-P Controller**

The ADI-P Controller operates the automated processes that flush your Sigma Pro filters, allowing you to control and monitor them easily and conveniently.



- Suitable for low pressure (1.5-10 bar)
- Single or dual solenoid configuration
- Provides detailed filtration performance data
- Communication within Bluetooth® technology range
- Offline information storage available


**The ADI-P App**

Access your site's filtration performance data directly from the adi-p app. Here are some of the data that you can access via the adi-p app:



- \* Flush logs
- \* Flush frequency
- \* Current DP
- \* Current outlet and inlet pressure
- \* Flush quality - measuring DP on the filter before and after flush cycle
- \* Malfunctions with descriptions of each event
- \* Battery status and low battery alerts

## AMIAD SIGMA PRO MODELS



## Apex PC Dripperline

Apex PC Dripperline Specification						
Tubing Size	ID	OD	Wall	PSI min	PSI max	Kd
16 mm	.550"	.640"	45 mil			0.87
18 mm	.620"	.710"	45 mil	7	60	0.52
20 mm	.710"	.805"	47.5 mil			0.33

Inlet Filter Surface Area		
Length	in	1.12
Width	in	0.20
Area	in <sup>2</sup>	0.22
Slot Width	in	0.01

Apex Emitter Flow Rate	
Nominal	GPH flow
0.4	.425 gph
0.5	.564 gph
1.0	1.033 gph



## Apex PC Dripperline Run Length in Feet


Distal Pressure 11 psi

18 mm 0.5 gph	18"	24"	30"	36"	42"	48"
12 psi	212	265	312	356	398	437
15 Psi	343	427	504	576	644	708
20 psi	454	566	668	764	854	939
25 psi	529	659	779	891	996	1095
35 psi	637	795	939	1075	1201	1322
50 psi	752	939	1112	1271	1422	1565

20 mm 0.5 gph	18"	24"	30"	36"	42"	48"
12 psi	277	342	402	457	510	559
15 Psi	447	554	651	741	825	906
20 psi	592	733	863	983	1096	1203
25 psi	690	855	1006	1146	1278	1403
35 psi	831	1031	1213	1382	1542	1694
50 psi	983	1219	1436	1637	1825	2006

18 mm 1.0 gph	18"	24"	30"	36"	42"	48"
12 psi	142	176	208	237	265	291
15 Psi	228	285	336	384	429	472
20 psi	302	377	446	509	569	627
25 psi	352	439	519	594	664	731
35 psi	424	529	626	716	801	882
50 psi	501	626	741	848	949	1045

20 mm 1.0 gph	18"	24"	30"	36"	42"	48"
12 psi	184	228	268	305	339	373
15 Psi	298	369	433	494	551	605
20 psi	395	489	576	656	731	802
25 psi	460	570	671	764	853	938
35 psi	554	687	809	923	1030	1131
50 psi	655	813	958	1093	1219	1338



## CONVENIENCE YOU DESERVE

Control and monitor your pivot irrigation systems with any Android, iOS, or web browser from anywhere.




**ULTIMATE CONTROL NO ANNUAL FEES**

Computer or Mechanical Panels--it doesn't matter. B-hyve AG is compatible with any Valley®, Zimmatic®, or Reinke® pivot panel.

(AG)

### WATERMARK SOIL MOISTURE SENSOR

CAT #	CABLE LENGTH
200SS-5	5' (1.5 m)
200SS-5-S	5' (1.5 m)
200SS-15	15' (4.5 m)
200SS-15-S	15' (4.5 m)
200SS-X	6" (15 cm)



The WATERMARK Soil Moisture Sensor is a solid-state, digital hand-held device. It features a touch pad operating panel with an LCD display and a replaceable cable assembly. The sensor is designed for use with standard WATERMARK Sensors in most soils. It reads electrical resistance in 0-200 centibar (cb) and kilopascal (kPa) range. Comes standard with half inch stripped and tinned ends. Ships in bulk. Pipe spigot end (-S) allows for installation on pipe, both top and bottom.

*Galvanic isolation may be required for some reading devices. See 200SS-V-6.*

### WATERMARK METER

Solid state, digital hand-held, alternating current resistance bridge meter for reading standard WATERMARK Sensors. Adjustable for soil temperature variations. Touch pad operating panel with LCD display. Includes durable case, 9 volt battery and field replaceable cable assembly.



The WATERMARK Meter is a solid-state, digital hand-held device. It features a touch pad operating panel with an LCD display and a replaceable cable assembly. It is used for reading standard WATERMARK Sensors. It includes a durable case, 9 volt battery, and field replaceable cable assembly.

<b>TAPE-LOC COUPLING</b>  <b>Part #</b> Size 50-12030062 5/8" 50-12030032 7/8"	<b>TAPE-LOC x BARB</b>  <b>Part #</b> Size 50-12030004 5/8"x250B 50-12030002 5/8"x400B 50-12030015 7/8"x700B	<b>TAPE-LOC w/ SHUT-OFF VALVE</b>  <b>Part #</b> Size 92-A2-TV5B250 250 Barb 92-A2-TV5B400 400 Barb	<b>TAPE-LOC w/ SHUT-OFF VALVE</b>  <b>Part #</b> Size 92-A2-TV5LF 5/8" x Layflat
<b>TAPE-LOC ELBOW</b>  <b>Part #</b> Size 92-A1-TE55 5/8"	<b>TAPE-LOC TEE</b>  <b>Part #</b> Size 92-A1-TT555 5/8"	<b>TAPE-LOC x 3/4" HOSE SWIVEL</b>  <b>Part #</b> Size 92-A1-T5SWW 5/8"	<b>TAPE-LOC TEE x 3/4" HOSE SWIVEL</b>  <b>Part #</b> Size 92-A1-TT55SWW 5/8"
<b>TAPE-LOC COUPLING VALVE</b>  <b>Part #</b> Size 92-A2-TV55 5/8"	<b>TAPE-LOC x LAYFLAT HOSE</b>  <b>Part #</b> Size 92-A1-T5LF 5/8"	<b>TAPE-LOC x MPT ADAPTER</b>  <b>Part #</b> Size 50-12030076 1/2" MPT 50-12030017 3/4" MPT	<b>3/4" FPT x FHT SWIVEL ADAPTER</b>  <b>Part #</b> Size 26-AP-106 3/4"
<b>GOOF PLUG</b>  <b>Part #</b> Size 50-12290034 250 Barb 50-12290035 400 Barb 50-12290037 700 Barb	<b>PUNCH TOOL</b>  <b>Part #</b> Size 50-12071009 250 Barb 50-12070065 400 Barb	<b>COMBO AIR RELEASE VALVE</b>  <b>Part #</b> Size 92-B5-VBK1C 2" MPT	<b>TAPE-LOC x COMPRESSION</b>  <b>Part #</b> Size 50-12030030 5/8"x400C 50-12030033 5/8"x600C


Additional sizes and styles are available upon request.

Please see Page 45 for Blank Tubing & Dripper Line and Page 46 for Drip Tape.

## POWER-LOC FITTINGS - Size Selection Chart Nominal Tubing Size



Fitting Series #	Acceptable I.D.		Acceptable Wall Thickness	
	Inches	Millimeters	Inches	Millimeters
50	0.500 to 0.580	12.7 to 14.7	0.035 to 0.055	0.89 to 1.40
55	0.520 to 0.620	13.2 to 15.7	0.045 to 0.055	1.14 to 1.40
60	0.580 to 0.675	14.7 to 17.1	0.025 to 0.055	0.64 to 1.40
70	0.665 to 0.765	16.9 to 19.4	0.035 to 0.055	0.89 to 1.40
80	0.790 to 0.845	20.1 to 21.5	0.045 to 0.065	1.14 to 1.65
100	1.035 to 1.075	26.3 to 27.3	0.062 to 0.075	1.57 to 1.91

<b>POWER-LOC COUPLING</b>  <b>Part #</b> Size 50-72050305 PL55 50-12050205 PL70 50-12050607 PL80 92-A1-HC1000 PL100	<b>POWER-LOC TEE</b>  <b>Part #</b> Size 50-72050301 PL55 50-12050201 PL70 50-12050616 PL80 92-A1-HT111 PL100	<b>POWER-LOC w/ SHUT-OFF VALVE</b>  <b>Part #</b> Size 50-72050314 PL55 50-12050223 PL70 92-A1-VHF88 PL80	<b>POWER-LOC x 3/4" MHT ADAPTER</b>  <b>Part #</b> Size 50-72050311 PL55 x 3/4" 50-12050211 PL70 x 3/4" 50-12050604 PL80 x 3/4" 92-A1-H1H PL100x 3/4"
--	--	--	--

**"SP" SERIES  
FAN-JET  
ASSEMBLED  
WITH HAT**



Part #	Flow
150-8656	

**CHAPIN  
SPRAY STICK &  
TUBE ASSEMBLIES  
FOR POTS**  
(128x076-PE Tubing)

Part #	Length
50-12781312	12" Tube
50-12781318	18" Tube
50-12781324	24" Tube
50-12781330	30" Tube
50-12781336	36" Tube
50-12781342	42" Tube

**CHAPIN  
SPRAY STICK &  
TUBE ASSEMBLIES  
FOR NURSERY  
CONTAINERS**  
(187x125-PE Tubing)

Part #	Length
50-12783418	18" Tube
50-12783424	24" Tube
50-12783430	30" Tube
50-12783436	36" Tube
50-12783448	48" Tube
50-12783472	72" Tube

**AQUA  
SPRAY  
STICKS**



Part #	Style
50-12501250	Black
50-12501251	Green
50-12501252	Avocado
50-12501253	Terra Cotta
50-12501254	Brown
50-12501255	Gray
50-12501256	Blue

**CLIK TIF BUTTON  
EMITTER**

Pressure  
Compensating



Part #	Description
<i>Check Non Leak Models (CNL)</i>	
50-12503205	0.5 GPH Brown
50-12503210	1.0 GPH Black
50-12503215	2.0 GPH Green
<i>Pressure Compensating Only</i>	
50-12503410	1.0 GPH Black
50-12503420	2.0 GPH Green

**WOODPECKER  
Dripper**

Pressure  
Compensating



Part #	Flow
<i>Woodpecker Junior Model</i>	
138-21000-001051	0.5 GPH
138-21000-001151	1.0 GPH
138-21000-001246	2.0 GPH
<i>Woodpecker Model</i>	
138-21020-001051	0.5 GPH
138-21020-001149	1.0 GPH
138-21020-001251	2.0 GPH


**MULTI-OUTLET  
Dripper  
ASSEMBLY**



Description
Flat 4-Way Manifold
Stackable 4-Way (Open End)
Long Straight Arrow Dripper
Angle Arrow Dripper

\*\*\*\*\*  
**Please see  
Page 49 for  
Blank Tubing  
and  
Dripper Line**  
\*\*\*\*\*

**MANIFOLD VERSATILITY**



Flat 4-Way

Flat 4-Way

Flat 4-Way Stackable

Flat 2-Way

Super Flex White PE Tube

Short Angle Arrow Dripper

Angle Arrow Dripper

WPC Jr. Dripper - 2.0 GPH  
(use with 4-Way and Stackable)

WPC Jr. Dripper - 1.0 GPH  
(use with 2-Way)  
or

**SUPER 10 REVOLVER**

Extra-Range,  
Ball-Driven Sprinkler



Part #	Nozzle	Flow Rate	PSI	Spacing
50-17135443	Blue	1.5 gpm	35	55 feet
50-17136446	Yellow	1.9 gpm	35	65 feet

Additional sizes and styles available upon request.

**PRESSURE REGULATOR**



Part #	Size	PSI	GPM
10-32PRV2-415V2K	2"	15	20-70 (4 Reg Units)
50-12100023	1"	15	2-20
50-12100041	1-1/4" x 1"	10	10-32

**BLANK TUBING / SOLID TUBING**

<u>Part #</u>	<u>Dimensions (ID x OD)</u>	<u>Coil Length</u>
50-11190149	0.187" x 0.125"	100' Roll
50-11190589	0.187" x 0.125"	1000' Roll
50-11190529	0.455" x 0.375"	100' Roll
50-11190531	0.455" x 0.375"	500' Roll
50-11190534	0.455" x 0.375"	1000' Roll

**BLANK TUBING / SOLID TUBING**

<u>Part #</u>	<u>Dimensions (ID x OD)</u>	<u>Coil Length</u>
50-11190541	0.455" x 0.375"	100' Roll
50-11190600	0.455" x 0.375"	1000' Roll
50-11200310	0.520" x 0.620"	100' Roll
50-11200311	0.520" x 0.620"	500' Roll
50-11200314	0.615" x 0.705"	500' Roll
50-11200316	0.817" x 0.927"	1000' Roll
50-11200340	1.174" x 1.050"	100' Roll

**BUBBLER TUBING (DESIGNED FOR USE WITH OCTA-BUBBLER, QUADRA-BUBBLER & QB2 MANIFOLDS)**

<u>Part #</u>	<u>Description</u>
50-71500155	100' Coil of POLY Bubbler Tubing banded with instructions
50-71500156	1000' Coil of POLY Bubbler Tubing on starburst reel
50-71500158	100' Coil of VINYL Bubbler Tubing banded with instructions
50-71500159	1000' Coil of VINYL Bubbler Tubing on starburst reel

**PRESSURE COMPENSATING DRIPPER LINE (BLACK)**

<u>Size</u>	<u>Wall</u>	<u>Spacing</u>	<u>Flow Rate</u>	<u>Roll Length</u>
18 mm	45 mil	18"	0.62	1,000'
18 mm	45 mil	24"	0.62	1,000'
18 mm	45 mil	24"	0.42	1,000'
18 mm	45 mil	36"	0.62	1,000'
20 mm	47 mil	18"	0.62	1,000'
20 mm	47 mil	24"	0.36	1,000'
20 mm	47 mil	24"	0.62	1,000'
20 mm	47 mil	36"	0.62	1,000'

**OVAL HOSE**

<u>Part #</u>	<u>Size</u>	<u>PSI</u>	<u>Coil Length</u>
50-11220086	1 1/2"	21	300'
50-11220081	2"	21	450'
50-11220082	3"	21	200'
50-11220083	4"	21	130'

**DRIP IRRIGATION SPOOL OUT REEL**


Part #  
100-SpoolOutReel  
Designed to spool out a roll of blank tubing or dripper line. Easy to use. Reel is adjustable and mountable.

**XPANDO TAKE-OFF ADAPTOR**

<u>Part #</u>	<u>Size</u>
119-45635	16mm x 16mm
119-45585	16mm x 18mm

**CAPO RUBBER GROMMET**

<u>Part #</u>	<u>Size</u>
119-45745	16mm
119-45755	19mm

**DRILL BIT FOR XPANDO TAKE-OFF FITTINGS**

<u>Part #</u>	<u>Size</u>
65-10184A Bit	For 16mm & 18mm

**FIGURE 8 TUBING END CLOSURE**

<u>Part #</u>	<u>Size (Tubing OD)</u>
50-12290017	Up to 0.660"
50-12290018	Up to 0.720"
50-12290116	Up to 0.950"

**RATCHET CLAMP**

<u>Part #</u>	<u>Size</u>
119-44315	#22 (3/4")
119-44335	#18 (5/8")

\*\*\*\*\*  
Additional sizes and styles are available upon request  
\*\*\*\*\*

## NOTES

## **NOTES**

## **NOTES**

## **NOTES**

# SALES TAX EXEMPTION CERTIFICATE

The undersigned purchaser claims to be legally entitled to exemption from sales tax on all (blanket) purchases made from Triple K Irrigation Inc (seller) by reason of one or more of the exemptions claimed below. The undersigned further agrees to reimburse the seller for any sales tax, penalties, and interest that may be assessed against the seller by reason of sales in accordance with this claimed exemption.

## EXEMPTION CLAIMED

### *Materials or Services Purchased for:*

- Resale and we will bill our customers for sales tax where applicable.
- Industrial processing. The product sold or manufactured is: \_\_\_\_\_
- Agricultural production.
- Other (please specify) \_\_\_\_\_

### *Materials or Services Purchased by and for use by:*

- A church or house of religious worship, entitled to exemption, for use in activities, not mainly commercial enterprises. \*
- School - not operated for profit \*
- Hospital - not operated for profit \*
- Nonprofit Organizations certified through the state of \_\_\_\_\_ \*
- Government Agency \*

\* Certificate Number 2 applies

## Certificate Number 1

The undersigned hereby certifies that all items, except as indicated hereon, are purchased for resale or for use or consumption in connection with the production of agricultural or industrial products as a business enterprise and agrees to report and pay sales tax on any items used or consumed internally. In the event that this claim is disallowed, the purchaser promises to reimburse the seller for any tax involved.

## Certificate Number 2

The undersigned hereby certifies that the items being purchased are to be used or consumed in connection with the operation of the exempt institution or agency named in the space provided below and that the consideration of this purchase moves from the funds of the designated institution or agency. In the event that this claim is disallowed, the purchaser promises to reimburse the seller for any tax involved.

Company Name (purchaser)	Type of Business	
Company Street Address		
Company City	State	Zip Code
Sales Tax License Number	Date Exemption Began	
Authorized Signature	Title	Today's Date

*Please mail or fax Exemption Certificate to:*

Triple K Irrigation Inc  
12930 Ingall Highway  
Morenci, MI 49256  
Fax# (517)458-6541




Drip Tape



Dripper Line



Blank Tubing



Triple K Irrigation, Inc.  
12930 Ingall Highway  
Morenci, MI 49256



[www.IrrigationSupplyParts.com](http://www.IrrigationSupplyParts.com)

### DRIP IRRIGATION



### WASTE HANDLING



### GREEN HOUSE



### ORCHARDS



### OVERHEAD IRRIGATION



### INDUSTRIAL

